

Waterfall Report

Device: **AAP- TEST 1**

Table of Contents

Summary Information	Page 2
Performance tables	Page 3
Time diagrams	Page 17
Time Waterfall chart	Page 17
Waterfall by host charts	Page 41
Errors	Page 69

Full Report Criteria


Report Name	Waterfall Report
Report ID	DBAC53CBC12E4C9F8C72A1992C447E97
Device	AAP- TEST 1
Task	https://aap-testing.dokkuapps.venturit.org/
Check Time	1/15/2020 5:16:37 AM
Location	Amazon\us-east-1\9

Waterfall Report

Device: AAP- TEST 1

Summary Information

Summary statistic	
Page Total Size (in KB)	9868
Loading time	00:03:04.701
Number of Hosts	16
Number of Html	23
Number of Css	13
Number of Js	151
Number of Txt	21
Number of Unknown Types	10
Number of Image	179
Number of Bin	15
Number of Application	22



Performance tables

10% of FASTEST elements

Url	Time(ms)
https://sp.tinymce.com/i?aid=uxcaawvtd6x3cdgkemhhi...61-3343-4ff1-a724-59d70e373470&fp=none&tv=js-2.6.1	1
https://connect.facebook.net/en_US/sdk.js	1
https://ssl.google-analytics.com/__utm.gif?utmwv=5...3D(none)%3B&utmjid=&utmu=qAAAAAAAAAAAAAAAAAAAAAAAE~	1
https://sp.tinymce.com/i?aid=uxcaawvtd6x3cdgkemhhi...75-c10d-4a59-8f77-b3caf70bd97d&fp=none&tv=js-2.6.1	1
https://connect.facebook.net/en_US/sdk.js	1
https://aap-testing.dokkuapps.venturit.org/assets/...7f78d36f887a634549db2a0c6c18812906b47420ee81b4.png	1
https://connect.facebook.net/en_US/sdk.js	1

Waterfall Report

Device: AAP- TEST 1

10% of FASTEST elements (Continuation)

Url	Time(ms)
https://ssl.google-analytics.com/__utm.gif?utmwv=5...3D(none)%3B&utmjid=&utmu=qAAAAAAAAAAAAAAAAAAAAAE~	1
https://cdn.tiny.cloud/1/uxcaawvtd6x3cdgkemhhi2ite...tinymce/4.9.7-67/plugins/visualchars/plugin.min.js	1
https://cdn.tiny.cloud/1/uxcaawvtd6x3cdgkemhhi2ite...ymce/4.9.7-67/plugins/directionality/plugin.min.js	1
https://sp.tinymce.com/i?aid=uxcaawvtd6x3cdgkemhhi...58-504e-4a89-b977-2e764af6f70b&fp=none&tv=js-2.6.1	1
https://sp.tinymce.com/i?aid=uxcaawvtd6x3cdgkemhhi...ec-b884-485e-bce5-fe17a1ab06eb&fp=none&tv=js-2.6.1	1
https://ssl.google-analytics.com/__utm.gif?utmwv=5...3D(none)%3B&utmjid=&utmu=qAAAAAAAAAAAAAAAAAAAAAE~	1
https://cdn.tiny.cloud/1/uxcaawvtd6x3cdgkemhhi2ite...br2vlz/tinymce/4.9.7-67/plugins/link/plugin.min.js	1
https://cdn.tiny.cloud/1/uxcaawvtd6x3cdgkemhhi2ite...r2vlz/tinymce/4.9.7-67/plugins/image/plugin.min.js	1
https://cdn.tiny.cloud/1/uxcaawvtd6x3cdgkemhhi2ite...vlz/tinymce/4.9.7-67/plugins/charmap/plugin.min.js	1
https://cdn.tiny.cloud/1/uxcaawvtd6x3cdgkemhhi2ite...vlz/tinymce/4.9.7-67/plugins/preview/plugin.min.js	1
https://cdn.tiny.cloud/1/uxcaawvtd6x3cdgkemhhi2ite...2vlz/tinymce/4.9.7-67/plugins/anchor/plugin.min.js	1

Waterfall Report

Device: AAP- TEST 1

10% of FASTEST elements (Continuation)

Url	Time(ms)
https://cdn.tiny.cloud/1/uxcaawvtd6x3cdgkemhhi2ite...twbr2vlz/tinymce/4.9.7-67/plugins/hr/plugin.min.js	1
https://cdn.tiny.cloud/1/uxcaawvtd6x3cdgkemhhi2ite...z/tinymce/4.9.7-67/plugins/pagebreak/plugin.min.js	1
https://cdn.tiny.cloud/1/uxcaawvtd6x3cdgkemhhi2ite...nymce/4.9.7-67/plugins/searchreplace/plugin.min.js	1
https://cdn.tiny.cloud/1/uxcaawvtd6x3cdgkemhhi2ite...r2vlz/tinymce/4.9.7-67/plugins/media/plugin.min.js	1
https://cdn.tiny.cloud/1/uxcaawvtd6x3cdgkemhhi2ite.../tinymce/4.9.7-67/plugins/fullscreen/plugin.min.js	1
https://cdn.tiny.cloud/1/uxcaawvtd6x3cdgkemhhi2ite...br2vlz/tinymce/4.9.7-67/plugins/save/plugin.min.js	1
https://cdn.tiny.cloud/1/uxcaawvtd6x3cdgkemhhi2ite...tinymce/4.9.7-67/plugins/contextmenu/plugin.min.js	1
https://cdn.tiny.cloud/1/uxcaawvtd6x3cdgkemhhi2ite...ymce/4.9.7-67/plugins/directionality/plugin.min.js	1
https://cdn.tiny.cloud/1/uxcaawvtd6x3cdgkemhhi2ite...z/tinymce/4.9.7-67/plugins/emoticons/plugin.min.js	1
https://cdn.tiny.cloud/1/uxcaawvtd6x3cdgkemhhi2ite...z/tinymce/4.9.7-67/plugins/textcolor/plugin.min.js	1
https://cdn.tiny.cloud/1/uxcaawvtd6x3cdgkemhhi2ite...tinymce/4.9.7-67/plugins/colorpicker/plugin.min.js	1
https://sp.tinymce.com/i?aid=uxcaawvtd6x3cdgkemhhi...95-7e98-4c75-b9d1-e3e5f996aef5&fp=none&tv=js-2.6.1	1

Waterfall Report

Device: AAP- TEST 1

10% of FASTEST elements (Continuation)

Url	Time(ms)
https://ssl.google-analytics.com/__utm.gif?utmwv=5...3D(none)%3B&utmjid=&utmu=qAAAAAAAAAAAAAAAAAAAAAE~	1
https://aap-testing.dokkuapps.venturit.org/assets/...7b0a36f2e67569a312d733350d72f82e8e0dd9b25d79d.woff	2
https://aap-testing.dokkuapps.venturit.org/assets/...2eeb9f8cc114c18d2db16e948a9705221daa7bda6582c8.png	2
https://connect.facebook.net/en_US/sdk.js?hash=44655326c6556f086a6ed56de5489ad0&ua=modern_es6	2
https://ssl.google-analytics.com/__utm.gif?utmwv=5...3D(none)%3B&utmjid=&utmu=qAAAAAAAAAAAAAAAAAAAAAE~	2
https://connect.facebook.net/en_US/sdk.js	2
https://aap-testing.dokkuapps.venturit.org/assets/...e2dfed65f8df8485f7f7c24790ed80e03b5e1725f21155.png	2
https://sp.tinymce.com/i?aid=uxcaawvtd6x3cdgkemhhi...2b-312e-4acd-9030-b44b0e6add88&fp=none&tv=js-2.6.1	2
https://aap-testing.dokkuapps.venturit.org/assets/...808489ad1d73896a6737c769f7528a585b4cba1fdde462.png	2
https://cdn.tiny.cloud/1/uxcaawvtd6x3cdgkemhhi2ite...lz/tinymce/4.9.7-67/plugins/autolink/plugin.min.js	2

Waterfall Report

Device: AAP- TEST 1

10% of FASTEST elements (Continuation)

Url	Time(ms)
https://cdn.tiny.cloud/1/uxcaawvtd6x3cdgkemhhi2ite...twbr2vlz/tinymce/4.9.7-67/plugins/hr/plugin.min.js	2
https://cdn.tiny.cloud/1/uxcaawvtd6x3cdgkemhhi2ite...lz/tinymce/4.9.7-67/plugins/template/plugin.min.js	2
https://cdn.tiny.cloud/1/uxcaawvtd6x3cdgkemhhi2ite.../tinymce/4.9.7-67/plugins/fullscreen/plugin.min.js	2

10% of SLOWEST elements

Url	Time(ms)
https://aap-testing.dokkuapps.venturit.org/browse/grants	4232
https://aap-testing.dokkuapps.venturit.org/browse/groups	3730
https://aap-testing.dokkuapps.venturit.org/browse/playlists	3285
https://aap-testing.dokkuapps.venturit.org/browse/people	3231
https://aap-testing.dokkuapps.venturit.org/assets/...fd4ede7c732f2f45ce2839713b1182f3d29a34933bcea6.css	3184

Waterfall Report

Device: AAP- TEST 1

10% of SLOWEST elements (Continuation)

Url	Time(ms)
https://aap-testing.dokkuapps.venturit.org/assets/...8ba6e2dc77a9d67fb7467a37788eab6e006968fac52db8.png	3139
https://aap-testing.dokkuapps.venturit.org/assets/...dbb0878749845378ce3564d36ed07bd12049745fabff64.png	3109
https://aap-testing.dokkuapps.venturit.org/browse/categories	3099
https://aap-testing.dokkuapps.venturit.org/posts	2957
https://aap-testing.dokkuapps.venturit.org/posts/new?post_type=Article	2911
https://aap-testing.dokkuapps.venturit.org/browse/articles	2766
https://aap-testing.dokkuapps.venturit.org/cable	2741
https://aap-testing.dokkuapps.venturit.org/assets/...77da9db053d26929c9356e747161f33ed938af9459ada3.png	2609
https://aap-testing.dokkuapps.venturit.org/assets/...fd4ede7c732f2f45ce2839713b1182f3d29a34933bcea6.css	2544
https://aap-testing.dokkuapps.venturit.org/browse	2500
https://aap-testing.dokkuapps.venturit.org/browse/pathways	2281

Waterfall Report

Device: AAP- TEST 1

10% of SLOWEST elements (Continuation)

Url	Time(ms)
https://aap-testing.dokkuapps.venturit.org/assets/...76ac3605ed83e6f67ef6a901b62de6c3e3f5bea2818647.png	2171
https://aap-testing.dokkuapps.venturit.org/assets/...c387d41d5fc0a62144db4aec28ca51a2b42cd77bea6186.png	2149
https://aap-testing.dokkuapps.venturit.org/assets/...56ca508edb1dfdeea21b13c21027d672721c57a8a9c079.png	1859
https://aap-testing.dokkuapps.venturit.org/	1553
https://aap-testing.dokkuapps.venturit.org/posts	1467
https://aap-testing.dokkuapps.venturit.org/assets/...f6f1e51f68af40f37ee98791d269a051924fcc373d2ed2.png	1208
https://aap-testing.dokkuapps.venturit.org/home/home_feed	1122
https://aap-testing.dokkuapps.venturit.org/	1121
https://aap-testing.dokkuapps.venturit.org/assets/...3ecc8ca3361d58d614e80a799c080e38262d81ec82f936.png	1071
https://aap-testing.dokkuapps.venturit.org/assets/...fd4ede7c732f2f45ce2839713b1182f3d29a34933bcea6.css	721

Waterfall Report

Device: AAP- TEST 1

10% of SLOWEST elements (Continuation)

Url	Time(ms)
https://aap-testing.dokkuapps.venturit.org/cable	682
https://aap-testing.dokkuapps.venturit.org/assets/...7ef00c92cae636ac35633132cf2157c7ac879f27f82068.ttf	623
https://aap-testing.dokkuapps.venturit.org/assets/...a126719ffc997b6b6eb3c7d1f6ed164458384e873d4da7.gif	603
https://aap-testing.dokkuapps.venturit.org/assets/...032a901622707e9a4eb67c467a6c21dc23f7d9cd8c15a4.png	601
https://aap-testing.dokkuapps.venturit.org/assets/...2eeb9f8cc114c18d2db16e948a9705221daa7bda6582c8.png	572
https://aap-testing.dokkuapps.venturit.org/assets/...48f96fbd5b82120973ddc8990c3d7990d0863c05e6acca.png	572
https://aap-testing.dokkuapps.venturit.org/assets/...b955d1c08db684bb847ea9e8a93193c83509e94865fa51.png	541
https://connect.facebook.net/en_US/sdk.js?hash=44655326c6556f086a6ed56de5489ad0&ua=modern_es6	523
https://aap-web-testing.s3.amazonaws.com/staging/u.../herobg/123/group_feed_red_flower_7_blog131210.jpg	511

Waterfall Report

Device: AAP- TEST 1

10% of SLOWEST elements (Continuation)

Url	Time(ms)
https://aap-testing.dokkuapps.venturit.org/assets/...2eeb9f8cc114c18d2db16e948a9705221daa7bda6582c8.png	421
https://aap-testing.dokkuapps.venturit.org/assets/...fd4ede7c732f2f45ce2839713b1182f3d29a34933bcea6.css	411
https://aap-web-testing.s3.amazonaws.com/staging/u...108/thumb_Screen_Shot_2020-01-13_at_9.23.44_AM.png	385
https://aap-web-testing.s3.amazonaws.com/staging/u...llenge/challenge_image/107/thumb_download__5_.jpeg	372
https://aap-web-testing.s3.amazonaws.com/staging/uploads/user/profile_pic/5/thumb_images__3_.jpeg	371
https://in.hotjar.com/api/v2/client/sites/1133512/visit-data?sv=6	352
https://aap-web-testing.s3.amazonaws.com/staging/u.../min_feed_Screen_Shot_2020-01-14_at_5.00.49_PM.png	348
https://aap-web-testing.s3.amazonaws.com/staging/u...age/96/thumb_Screenshot_2019-11-06_at_16.09.44.png	344

Waterfall Report

Device: AAP- TEST 1

10% of Largest elements

Url	Size(Kb)
https://aap-testing.dokkuapps.venturit.org/assets/...51a41e444956a3591140cb22a5a73e412d7a1c881076cb.ttf	571.7
https://aap-testing.dokkuapps.venturit.org/assets/...51a41e444956a3591140cb22a5a73e412d7a1c881076cb.ttf	571.7
https://aap-testing.dokkuapps.venturit.org/assets/...690346d09a0ba45956b4b1d18a2c8cef2b69a73d1f31513.js	419.54
https://aap-testing.dokkuapps.venturit.org/assets/...690346d09a0ba45956b4b1d18a2c8cef2b69a73d1f31513.js	419.54
https://cdn.tiny.cloud/1/uxcaawvtd6x3cdgkemhhi2ite...lrntnf9a4twbr2vlz/tinymce/4.9.7-67/tinymce.min.js	150.22
https://cdn.tiny.cloud/1/uxcaawvtd6x3cdgkemhhi2ite...lrntnf9a4twbr2vlz/tinymce/4.9.7-67/tinymce.min.js	150.22
https://aap-testing.dokkuapps.venturit.org/assets/...fd4ede7c732f2f45ce2839713b1182f3d29a34933bcea6.css	144.34
https://aap-testing.dokkuapps.venturit.org/assets/...fd4ede7c732f2f45ce2839713b1182f3d29a34933bcea6.css	144.34
https://aap-testing.dokkuapps.venturit.org/assets/...fd4ede7c732f2f45ce2839713b1182f3d29a34933bcea6.css	144.34

Waterfall Report

Device: AAP- TEST 1

10% of Largest elements (Continuation)

Url	Size(Kb)
https://aap-testing.dokkuapps.venturit.org/assets/...fd4ede7c732f2f45ce2839713b1182f3d29a34933bcea6.css	144.34
https://aap-testing.dokkuapps.venturit.org/assets/...fd4ede7c732f2f45ce2839713b1182f3d29a34933bcea6.css	144.34
https://aap-testing.dokkuapps.venturit.org/assets/...fd4ede7c732f2f45ce2839713b1182f3d29a34933bcea6.css	144.34
https://aap-testing.dokkuapps.venturit.org/assets/...fd4ede7c732f2f45ce2839713b1182f3d29a34933bcea6.css	144.34
https://aap-testing.dokkuapps.venturit.org/assets/...e55edbeeb1539d22a217212c14430a7d4d75266a333bbc.ttf	141.91
https://aap-testing.dokkuapps.venturit.org/assets/...eff8cdd91993fb4a9ce4cced3d7b72c3ef7d24380bfc2d.ttf	140.15
https://aap-testing.dokkuapps.venturit.org/assets/...b2cc201c2b07af5faca7228372dc6f4572d2d5b2291097.ttf	138.82
https://aap-testing.dokkuapps.venturit.org/assets/...7ef00c92cae636ac35633132cf2157c7ac879f27f82068.ttf	137.95
https://aap-testing.dokkuapps.venturit.org/assets/...3ecc8ca3361d58d614e80a799c080e38262d81ec82f936.png	116.8

Waterfall Report

Device: AAP- TEST 1

10% of Largest elements (Continuation)

Url	Size(Kb)
https://aap-testing.dokkuapps.venturit.org/assets/...8ba6e2dc77a9d67fb7467a37788eab6e006968fac52db8.png	96.16
https://aap-testing.dokkuapps.venturit.org/assets/...c387d41d5fc0a62144db4aec28ca51a2b42cd77bea6186.png	93.52
https://aap-testing.dokkuapps.venturit.org/assets/...76ac3605ed83e6f67ef6a901b62de6c3e3f5bea2818647.png	92.08
https://code.highcharts.com/highcharts.js	81.94
https://code.highcharts.com/highcharts.js	81.94
https://aap-testing.dokkuapps.venturit.org/assets/...dbb0878749845378ce3564d36ed07bd12049745fabff64.png	80.51
https://aap-testing.dokkuapps.venturit.org/assets/...d417879dc5a09997aa64d675b7a3c4b6ce33da13f3fe.woff2	75.35
https://aap-testing.dokkuapps.venturit.org/assets/...d417879dc5a09997aa64d675b7a3c4b6ce33da13f3fe.woff2	75.35
https://aap-web-testing.s3.amazonaws.com/staging/u...08/medium_Screen_Shot_2020-01-13_at_9.23.44_AM.png	74.62

Waterfall Report

Device: AAP- TEST 1

10% of Largest elements (Continuation)

Url	Size(Kb)
https://aap-web-testing.s3.amazonaws.com/staging/u...08/medium_Screen_Shot_2020-01-13_at_9.23.44_AM.png	74.62
https://aap-testing.dokkuapps.venturit.org/assets/...f6f1e51f68af40f37ee98791d269a051924fcc373d2ed2.png	73.12
https://script.hotjar.com/modules.3f87663fe3054321fa13.js	69.46
https://script.hotjar.com/modules.3f87663fe3054321fa13.js	69.46
https://script.hotjar.com/modules.3f87663fe3054321fa13.js	69.46
https://script.hotjar.com/modules.3f87663fe3054321fa13.js	69.46
https://script.hotjar.com/modules.3f87663fe3054321fa13.js	69.46
https://script.hotjar.com/modules.3f87663fe3054321fa13.js	69.46
https://script.hotjar.com/modules.3f87663fe3054321fa13.js	69.46
https://aap-web-testing.s3.amazonaws.com/staging/uploads/post/post_media/266/medium_3mb_image.png	69.06
https://fullstory.com/s/fs.js	67.58
https://fullstory.com/s/fs.js	67.58

Waterfall Report

Device: AAP- TEST 1

10% of Largest elements (Continuation)

Url	Size(Kb)
https://fullstory.com/s/fs.js	67.58
https://fullstory.com/s/fs.js	67.58
https://fullstory.com/s/fs.js	67.58
https://fullstory.com/s/fs.js	67.58

Waterfall Report

Device: AAP- TEST 1

Time diagrams

Time Waterfall chart

Load time (sec.)	Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00 23.08 46.17 1.9.26 1.32.35 1.55.44 2.18.53 2.41.62 3.4.70	Step 1: AAP Bridge -...kuapps.vent	269579	5824	05:16:38.893
	Navigate to 'https://...uapps.venturit.	268783	2488	05:16:38.893
	https://aap-testing....kuapps.venturi	10558	1121	05:16:38.927
	https://aap-testing....f3d29a34933b	147803	62	05:16:40.053
	https://aap-testing....ef2b69a73d1f3	429614	72	05:16:40.067
	https://unpkg.com/tippy.js@4	37	53	05:16:40.067
	https://cloud.tinymc...3dlrntnf9a4t		5	05:16:40.067
	https://code.highcha...ts.com/highc	83902	75	05:16:40.067
	https://cdn.tiny.clo....7-67/tinymce.	153822	14	05:16:40.077
	https://unpkg.com/tippy.js@4.3.5	60	7	05:16:40.170
	https://aap-testing....dc23f7d9cd8c	3315	60	05:16:40.173
	https://unpkg.com/ti...umd/index.all.	7677	12	05:16:40.183
	https://aap-testing....585b4cba1fdd	22856	10	05:16:40.237
	https://aap-testing....58d65d57a2cf	2201	7	05:16:40.250
	https://aap-web-test...n_feed_3mb_	32703	26	05:16:40.390
	https://aap-web-test...d_Image_fro	9645	7	05:16:40.420

Waterfall Report

Device: AAP- TEST 1

Time Waterfall chart (Continuation)

Load time (sec.)									Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	23.08	46.17	1.9.26	1.32.35	1.55.44	2.18.53	2.41.62	3.4.70				
									 https://aap-web-test...d_Image_fro	9645	7	05:16:40.430
									 https://aap-web-test...d_Image_fro	17585	8	05:16:40.440
									 https://aap-web-test...14_at_4.25.1	17639	42	05:16:40.450
									https://aap-testing....s.venturit.org/c		56	05:16:40.460
									https://aap-testing...412d7a1c8810	585416	23	05:16:40.473
									 https://aap-web-test...14_at_5.00.4	10469	8	05:16:40.493
									 https://aap-web-test...ed_download	6570	19	05:16:40.510
									 https://aap-web-test...in_feed_imag	1168	10	05:16:40.530
									 https://aap-web-test...ed_download	7756	9	05:16:40.543
									https://aap-testing...2e8e0dd9b25d	17472	2	05:16:40.543
									https://aap-testing...b6ce33da13f3f	77160	3	05:16:40.550
									https://aap-testing...4eb6f8fd92a9f	68940	45	05:16:40.550
									https://aap-testing...4572d2d5b229	142148	46	05:16:40.550
									 https://aap-testing...c83509e94865	16566	10	05:16:40.583
									 https://aap-testing...90d0863c05e6	1906	44	05:16:40.587
									 https://aap-testing...221daa7bda65	11792	2	05:16:40.617
									 https://aap-web-test..._chicago-179	20345	10	05:16:40.617
									 https://aap-web-test...ed_download	6570	320	05:16:40.637
									 https://aap-web-test...14_at_5.00.4	10469	348	05:16:40.637
									 https://aap-web-test...14_at_4.25.1	17639	291	05:16:40.637
									 https://connect.face...ook.net/en_U	1780	248	05:16:40.637
									 https://aap-web-test...n_feed_down	4541	320	05:16:40.637
									 https://sp.tinymce.c...&fp=none&tv=	43	251	05:16:40.637

Waterfall Report

Device: AAP- TEST 1

Time Waterfall chart (Continuation)

Load time (sec.)									Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	23.08	46.17	1.9.26	1.32.35	1.55.44	2.18.53	2.41.62	3.4.70				
									 https://ssl.google-analytics.com/ga.	17168	291	05:16:40.647
									 https://aap-web-test...ed_download	7756	120	05:16:40.833
									 https://aap-web-test...in_feed_dow	25338	43	05:16:40.887
									 https://aap-testing....38cab56fc861	22103	37	05:16:40.890
									 https://fullstory.com/s/fs.js	69203	197	05:16:40.890
									 https://static.hotja...tjar-1133512.js	2006	148	05:16:40.933
									 https://aap-web-test...me_downloa	7869	7	05:16:40.933
									 https://aap-web-test...me_downloa	4922	8	05:16:40.937
									 https://connect.face...489ad0&ua=	60170	88	05:16:40.940
									 https://aap-web-test...wer_7_blog1	11731	7	05:16:40.943
									 https://aap-web-test...me_downloa	7701	9	05:16:40.947
									 https://aap-web-test.../medium_do	50381	28	05:16:40.957
									 https://aap-web-test..._AAP_Logo_	52426	29	05:16:40.957
									 https://aap-web-test...medium_dow	9011	11	05:16:40.960
									 https://aap-web-test...um_downloa	23947	20	05:16:40.967
									 https://aap-web-test...um_downloa	15126	61	05:16:40.967
									 https://aap-web-test.../medium_do	50381	20	05:16:40.987
									 https://aap-web-test...um_downloa	23947	54	05:16:41.013
									 https://aap-web-test...um_downloa	15126	40	05:16:41.013
									 https://aap-web-test..._20190105_1	52294	36	05:16:41.050
									 https://aap-web-test...um_downloa	13463	14	05:16:41.083
									 https://aap-web-test...1-06_at_16.1	25275	67	05:16:41.083
									 https://ssl.google-a...AAAAAAAAA	35	14	05:16:41.083

Waterfall Report

Device: AAP- TEST 1

Time Waterfall chart (Continuation)

Load time (sec.)	Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00 23.08 46.17 1.9.26 1.32.35 1.55.44 2.18.53 2.41.62 3.4.70				
	 https://aap-web-test...5/medium_im	11893	7	05:16:41.083
	 https://aap-web-test...13_at_9.23.4	76414	16	05:16:41.087
	 https://script.hotja...7663fe3054321	71124	93	05:16:41.127
	https://rs.fullstory.com/rec/page	15	35	05:16:41.153
	 https://vars.hotjar....ad3a2e45df61b	808	43	05:16:41.210
	https://in.hotjar.co...3512/visit-data		291	05:16:41.307
	https://script.hotja...otjar_5.c9fb91.	2188	72	05:16:41.347
	https://in.hotjar.co...3512/visit-data	202	187	05:16:41.600
	Find Link, '//A[norm...1]/DIV[2]/DIV/		141	05:16:44.543
	Link: Click	7958	20	05:16:44.687
	 https://aap-testing....s.venturit.org/l	7958	149	05:16:44.710
	Step 2: AAP Bridge -...s.venturit.or	378239	7320	05:16:44.717
	Navigating to 'https....venturit.org/lo	378131	475	05:16:44.717
	 https://aap-testing....f3d29a34933b	147803	27	05:16:44.870
	https://unpkg.com/tippy.js@4	37	7	05:16:44.873
	https://unpkg.com/tippy.js@4.3.5	60	6	05:16:44.880
	 https://unpkg.com/ti...umd/index.all.	7677	13	05:16:44.890
	 https://sp.tinymce.c...&fp=none&tv=	43	1	05:16:44.970
	https://aap-testing....s.venturit.org/c		125	05:16:45.007
	 https://connect.face...ook.net/en_U	1780	1	05:16:45.023
	 https://ssl.google-analytics.com/ga.	17168	3	05:16:45.067
	 https://fullstory.com/s/fs.js	69203	18	05:16:45.067
	 https://static.hotja...tjar-1133512.js	2006	8	05:16:45.090

Waterfall Report

Device: AAP- TEST 1

Time Waterfall chart (Continuation)

Load time (sec.)	Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00 23.08 46.17 1.9.26 1.32.35 1.55.44 2.18.53 2.41.62 3.4.70				
	 https://connect.face...489ad0&ua=	60170	2	05:16:45.103
	 https://ssl.google-a...AAAAAAAAA	35	1	05:16:45.110
	 https://script.hotja...7663fe3054321	71124	24	05:16:45.110
	https://rs.fullstory.com/rec/page	15	32	05:16:45.120
	 https://vars.hotjar....ad3a2e45df61b	808	7	05:16:45.167
	https://in.hotjar.co...3512/visit-data	202	187	05:16:45.180
	https://vc.hotjar.io...views/1133512		244	05:16:45.187
	Find TextField, '//l...ling::DIV[2]//IN		15	05:16:49.800
	TextField: Type text...anjali@ventur		31	05:16:49.817
	Find TextField, '//l...ling::DIV[1]//IN		24	05:16:49.863
	TextField: Click		42	05:16:49.890
	Find TextField, '//l...ling::DIV[1]//IN		22	05:16:49.933
	TextField: Type text...'context.Pass		9	05:16:49.977
	Find CheckBox, '//IN...D=user_rem		27	05:16:49.990
	CheckBox: Click		955	05:16:50.017
	Find Button, '//INPU...PUT[@ID=ca		30	05:16:50.980
	Button: Click	108	1017	05:16:51.013
	 https://aap-testing....s.venturit.org/l	108	228	05:16:52.033
	Step 3: AAP Bridge -...kuapps.vent	125327	7413	05:16:52.037
		2		
	Navigating to 'https...uapps.venturit	125327	3091	05:16:52.037
		2		
	 https://aap-testing....kuapps.venturi	14857	1553	05:16:52.263

Waterfall Report

Device: AAP- TEST 1

Time Waterfall chart (Continuation)

Load time (sec.)									Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	23.08	46.17	1.9.26	1.32.35	1.55.44	2.18.53	2.41.62	3.4.70				
									 https://aap-testing....f3d29a34933b	147803	65	05:16:53.830
									https://unpkg.com/tippy.js@4	37	8	05:16:53.830
									https://unpkg.com/tippy.js@4.3.5	60	8	05:16:53.840
									 https://unpkg.com/ti...umd/index.all.	7677	10	05:16:53.850
									 https://aap-web-test..._AAP_Logo_	48756	25	05:16:53.860
									 https://aap-web-test...ed_download	6261	58	05:16:53.890
									 https://aap-web-test...mb_downloa	3255	36	05:16:53.960
									 https://aap-web-test...mb_downloa	2001	9	05:16:54.073
									https://aap-testing....s.venturit.org/c		279	05:16:54.080
									 https://aap-web-test...mb_downloa	1972	372	05:16:54.123
									 https://aap-web-test...13_at_9.23.4	11159	385	05:16:54.123
									 https://aap-web-test...humb_image	2235	371	05:16:54.127
									 https://aap-web-test...wer_7_blog1	9022	247	05:16:54.127
									 https://aap-testing....221daa7bda65	11792	421	05:16:54.127
									 https://sp.tinymce.c...&fp=none&tv=	43	1	05:16:54.127
									 https://connect.face...ook.net/en_U	1780	1	05:16:54.127
									 https://aap-testing....c83509e94865	16566	186	05:16:54.127
									 https://aap-web-test...1-06_at_16.0	8867	344	05:16:54.153
									 https://ssl.google-analytics.com/ga.	17168	110	05:16:54.260
									 https://aap-web-test...n_feed_3mb_	32703	185	05:16:54.313
									 https://static.hotja...tjar-1133512.js	2006	46	05:16:54.313
									 https://aap-testing....54328967dbba	7820	13	05:16:54.360
									 https://aap-testing....38cab56fc861	22103	26	05:16:54.370

Waterfall Report

Device: AAP- TEST 1

Time Waterfall chart (Continuation)

Load time (sec.)									Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	23.08	46.17	1.9.26	1.32.35	1.55.44	2.18.53	2.41.62	3.4.70				
									 https://fullstory.com/s/fs.js	69203	147	05:16:54.370
									 https://connect.face...489ad0&ua=	60170	4	05:16:54.373
									 https://aap-web-test...d_Image_fro	9645	16	05:16:54.377
									 https://script.hotja...7663fe3054321	71124	177	05:16:54.380
									 https://vars.hotjar....ad3a2e45df61b	808	11	05:16:54.497
									 https://ssl.google-a...AAAAAAAAA	35	2	05:16:54.500
									 https://aap-web-test...d_Image_fro	9645	8	05:16:54.503
									 https://aap-web-test...d_Image_fro	17585	10	05:16:54.503
									 https://aap-web-test...ed_download	6570	10	05:16:54.503
									 https://aap-web-test...ed_download	7756	6	05:16:54.503
									 https://aap-web-test...in_feed_imag	1168	10	05:16:54.503
									 https://aap-web-test..._chicago-179	20345	11	05:16:54.513
									 https://aap-web-test...ed_download	7756	8	05:16:54.533
									 https://aap-web-test...n_feed_down	4541	15	05:16:54.533
									 https://aap-web-test...ed_download	6570	58	05:16:54.533
									 https://aap-web-test...14_at_5.00.4	10469	8	05:16:54.533
									 https://aap-web-test...in_feed_dow	25338	16	05:16:54.533
									 https://aap-web-test...1-06_at_16.0	33132	10	05:16:54.540
									 https://aap-web-test..._20190105_1	52294	12	05:16:54.550
									https://rs.fullstory.com/rec/page	15	32	05:16:54.560
									 https://aap-web-test...1-06_at_16.1	25275	15	05:16:54.570
									 https://aap-web-test...c-linkedin-ph	23025	31	05:16:54.570
									 https://aap-web-test...091.V2__582	37889	18	05:16:54.570

Waterfall Report

Device: AAP- TEST 1

Time Waterfall chart (Continuation)

Load time (sec.)									Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	23.08	46.17	1.9.26	1.32.35	1.55.44	2.18.53	2.41.62	3.4.70	https://aap-web-test...umn-455198	243	27	05:16:54.577
									 https://aap-web-test...me_downloa	4922	329	05:16:54.580
									 https://aap-web-test...me_downloa	7869	21	05:16:54.587
									 https://aap-web-test...wer_7_blog1	11731	10	05:16:54.590
									 https://aap-web-test...me_downloa	7701	30	05:16:54.593
									 https://aap-web-test..._AAP_Logo_	52426	12	05:16:54.603
									 https://aap-web-test.../medium_do	50381	132	05:16:54.607
									 https://aap-web-test...medium_dow	9011	10	05:16:54.607
									 https://aap-web-test...um_downloa	23947	62	05:16:54.610
									 https://aap-web-test...um_downloa	15126	12	05:16:54.620
									 https://aap-web-test.../medium_do	50381	10	05:16:54.620
									 https://aap-web-test...13_at_9.23.4	76414	16	05:16:54.627
									 https://aap-web-test...um_downloa	15126	8	05:16:54.637
									 https://aap-web-test...um_downloa	23947	11	05:16:54.637
									 https://aap-web-test...5/medium_im	11893	9	05:16:54.650
									 https://aap-web-test...um_downloa	13463	10	05:16:54.653
									https://in.hotjar.co...3512/visit-data	202	190	05:16:54.927
									https://script.hotja...otjar_5.c9fb91.	2188	8	05:16:54.980
									Find Link, '//A[norm...g-sibling::LI[1]		78	05:16:59.317
									Link: Click		41	05:16:59.397
									Step 4: AAP Bridge -...t.org/home/h	476574	5427	05:16:59.450
									Find Button, '//INPU...uploadPostFr	476574	2203	05:16:59.450
									https://in.hotjar.co...3512/visit-data	202	191	05:16:59.527

Waterfall Report

Device: AAP- TEST 1


Time Waterfall chart (Continuation)

Load time (sec.)	Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00 23.08 46.17 1.9.26 1.32.35 1.55.44 2.18.53 2.41.62 3.4.70				
	 https://aap-testing....t.org/home/ho	16121	1122	05:16:59.643
	 https://aap-testing....3ed938af9459	2204	19	05:17:00.813
	 https://aap-testing....2906b47420ee	2676	9	05:17:00.813
	 https://aap-web-test...d_Image_fro	20987	28	05:17:00.813
	 https://aap-web-test..._20190105_1	29202	8	05:17:00.813
	 https://aap-testing....72721c57a8a9	2395	16	05:17:00.813
	 https://aap-web-test...in_feed_dow	25338	27	05:17:00.813
	 https://aap-testing....4458384e873d	3236	8	05:17:00.813
	 https://aap-web-test...ed_download	7478	23	05:17:00.813
	 https://aap-testing....7a725551aba0	39266	13	05:17:00.817
	https://aap-testing....c3ef7d24380bf	143516	33	05:17:00.823
	 https://aap-testing....15ffd78b903d2	38641	11	05:17:00.823
	https://aap-testing....7d4d75266a33	145312	11	05:17:00.830
	Button: Click		46	05:17:01.653
	Find SelectList, '//...]/DIV/DIV[1]/SE		59	05:17:01.707
	SelectList: Select '...ealth and nutrit		59	05:17:01.767
	Find Div, '(//DIV[no...ing-sibling::DI		42	05:17:01.830
	Div: Click		914	05:17:01.873
	Find Div, '(//DIV[no...ing-sibling::DI		34	05:17:02.790
	Div: Click		1012	05:17:02.823
	Find Link, '//A[norm...g-sibling::LI[1]		40	05:17:03.843
	Link: Click		984	05:17:03.883
	Step 5: AAP Bridge -...it.org/browse	557159	4320	05:17:04.877

Waterfall Report

Device: AAP- TEST 1

Time Waterfall chart (Continuation)



Waterfall Report

Device: AAP- TEST 1

Time Waterfall chart (Continuation)

Load time (sec.)	Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00 23.08 46.17 1.9.26 1.32.35 1.55.44 2.18.53 2.41.62 3.4.70				
	Link: Click	12557	910	05:17:09.287
	 https://aap-testing....it.org/browse/p	12557	3231	05:17:10.197
	Find Link, '//A[norm...g-sibling::LI[1]	60		05:17:10.200
	Link: Click	14681	946	05:17:10.260
	https://in.hotjar.co...3512/visit-data	202	185	05:17:10.327
	https://vc.hotjar.io...views/1133512		177	05:17:10.327
	 https://aap-testing....org/browse/pla	14479	3285	05:17:11.210
	Step 7: AAP Bridge -...org/browse/	872040	8257	05:17:11.213
	Navigating to 'https...rg/browse/pla	872040	4614	05:17:11.213
	 https://aap-testing....51924fcc373d	74872	1208	05:17:12.290
	 https://aap-testing....38262d81ec82	119601	1071	05:17:12.290
	 https://aap-testing....f3d29a34933b	147803	721	05:17:14.507
	https://unpkg.com/tippy.js@4	37	6	05:17:14.510
	https://unpkg.com/tippy.js@4.3.5	60	9	05:17:14.517
	 https://unpkg.com/ti...umd/index.all.	7677	9	05:17:14.530
	 https://aap-web-test...in_feed_dow	25338	17	05:17:14.540
	 https://aap-testing....2906b47420ee	2676	1	05:17:14.560
	 https://aap-web-test...n_feed_down	4541	14	05:17:14.563
	 https://aap-web-test...ed_download	11532	13	05:17:14.577
	 https://aap-web-test...ed_download	9787	8	05:17:14.593
	 https://aap-web-test...in_feed_dow	25338	9	05:17:14.603
	 https://aap-web-test...13_at_9.23.4	36121	9	05:17:14.613
	 https://aap-testing....4458384e873d	3236	603	05:17:14.627

Waterfall Report

Device: AAP- TEST 1

Time Waterfall chart (Continuation)

Load time (sec.)	Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00 23.08 46.17 1.9.26 1.32.35 1.55.44 2.18.53 2.41.62 3.4.70				
	 https://sp.tinymce.c...&fp=none&tv=	43	106	05:17:15.337
	 https://connect.face...ook.net/en_U	1780	2	05:17:15.413
	 https://fullstory.com/s/fs.js	69203	23	05:17:15.413
	 https://ssl.google-analytics.com/ga.	17168	4	05:17:15.413
	 https://aap-testing....be0ec2604d28	54188	18	05:17:15.463
	 https://aap-testing....15ffd78b903d2	38641	56	05:17:15.463
	 https://aap-testing....7a725551aba0	39266	3	05:17:15.480
	https://aap-testing....s.venturit.org/c		30	05:17:15.483
	 https://aap-testing....e03b5e1725f2	46584	2	05:17:15.500
	 https://static.hotja...tjar-1133512.js	2006	59	05:17:15.613
	 https://connect.face...489ad0&ua=	60170	10	05:17:15.663
	 https://ssl.google-a...AAAAAAAAA	35	7	05:17:15.667
	https://rs.fullstory.com/rec/page	15	40	05:17:15.673
	 https://script.hotja...7663fe3054321	71124	44	05:17:15.673
	 https://vars.hotjar....ad3a2e45df61b	808	7	05:17:15.737
	https://in.hotjar.co...3512/visit-data	202	196	05:17:15.770
	https://script.hotja...otjar_5.c9fb91.	2188	33	05:17:15.803
	Find Link, '//A[norm...g-sibling::LI[1]		57	05:17:19.327
	Link: Click		71	05:17:19.387
	Step 8: AAP Bridge -....org/browse/	43177	2073	05:17:19.470
	Find Link, '//A[norm...g-sibling::LI[1]		79	05:17:19.470
	Link: Click	29470	952	05:17:19.550
	https://vc.hotjar.io...views/1133512		177	05:17:19.567

Waterfall Report

Device: AAP- TEST 1


Time Waterfall chart (Continuation)

Load time (sec.)	Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00 23.08 46.17 1.9.26 1.32.35 1.55.44 2.18.53 2.41.62 3.4.70	https://in.hotjar.co...3512/visit-data	202	192	05:17:19.567
	 https://aap-testing....org/browse/art	14301	2766	05:17:19.660
	 https://aap-testing....org/browse/pa	14967	2281	05:17:20.503
	Find Link, '//A[norm...g-sibling::LI[1]	54		05:17:20.507
	Link: Click	13707	975	05:17:20.560
	https://in.hotjar.co...3512/visit-data	202	193	05:17:20.567
	https://vc.hotjar.io...views/1133512		178	05:17:20.567
	 https://aap-testing....it.org/browse/g	13505	4232	05:17:21.540
	Step 9: AAP Bridge -...it.org/browse	225233	3204	05:17:21.543
	Find Span, '//SPAN[n...IV/DIV[1]/A/	133872	59	05:17:21.543
	https://in.hotjar.co...3512/visit-data	202	192	05:17:21.567
	 https://aap-testing....3ed938af9459	2204	2609	05:17:22.473
	 https://aap-web-test...ax_feed_ima	1413	24	05:17:22.477
	 https://aap-web-test...d_Image_fro	9645	23	05:17:22.477
	 https://aap-web-test...ed_download	7478	22	05:17:22.477
	 https://aap-web-test...d_Image_fro	9645	37	05:17:22.477
	 https://aap-web-test...n_feed_3mb_	32703	53	05:17:22.477
	 https://aap-web-test...d_Image_fro	20987	86	05:17:22.477
	 https://aap-web-test..._chicago-179	20345	9	05:17:22.503
	 https://aap-web-test...ed_download	10132	10	05:17:22.503
	 https://aap-web-test...c-linkedin-ph	19118	8	05:17:22.503
	Span: Click		32	05:17:22.603
	Find Span, '//SPAN[n...IV/DIV[1]/A/	78911	48	05:17:22.637

Waterfall Report

Device: AAP- TEST 1

Time Waterfall chart (Continuation)



Waterfall Report

Device: AAP- TEST 1

Time Waterfall chart (Continuation)

Load time (sec.)										Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	23.08	46.17	1.9.26	1.32.35	1.55.44	2.18.53	2.41.62	3.4.70					
										https://unpkg.com/tippy.js@4	37	6	05:17:27.680
										https://unpkg.com/tippy.js@4.3.5	60	7	05:17:27.740
										 https://unpkg.com/ti...umd/index.all.	7677	75	05:17:27.753
										https://cloud.tinymc...3dlrntnf9a4t		11	05:17:30.933
										 https://cdn.tiny.clo...7-67/tinymce.	153822	24	05:17:30.963
										 https://sp.tinymce.c...&fp=none&tv=	43	2	05:17:31.080
										 https://code.highcha...ts.com/highc	83902	79	05:17:31.090
										 https://aap-testing....ef2b69a73d1f3	429614	21	05:17:31.187
										https://aap-testing....s.venturit.org/c		682	05:17:31.370
										https://aap-testing....412d7a1c8810	585416	24	05:17:31.377
										 https://connect.face...ook.net/en_U	1780	1	05:17:31.403
										 https://ssl.google-analytics.com/ga.	17168	3	05:17:31.427
										 https://fullstory.com/s/fs.js	69203	18	05:17:31.430
										 https://aap-testing....dc23f7d9cd8c	3315	601	05:17:31.450
										https://aap-testing....2e8e0dd9b25d	17472	8	05:17:31.453
										https://aap-testing....b6ce33da13f3f	77160	10	05:17:31.453
										https://aap-testing....4eb6f8fd92a9f	68940	26	05:17:31.457
										https://aap-testing....c7ac879f27f82	141260	623	05:17:31.457
										 https://aap-testing....90d0863c05e6	1906	572	05:17:31.480
										 https://aap-testing....221daa7bda65	11792	572	05:17:31.480
										 https://aap-testing....585b4cba1fdd	22856	2	05:17:31.483
										 https://aap-web-test..._AAP_Logo_	48756	36	05:17:31.510
										 https://aap-web-test...ed_download	6261	8	05:17:31.513

Waterfall Report

Device: AAP- TEST 1

Time Waterfall chart (Continuation)

Load time (sec.)									Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	23.08	46.17	1.9.26	1.32.35	1.55.44	2.18.53	2.41.62	3.4.70				
									 https://aap-web-test...mb_downloa	1972	11	05:17:31.513
									 https://aap-web-test...mb_downloa	3255	10	05:17:31.513
									 https://aap-web-test...mb_downloa	2001	9	05:17:31.513
									 https://cdn.tiny.clo.../modern/theme	50134	6	05:17:31.513
									 https://aap-web-test...13_at_9.23.4	11159	9	05:17:31.513
									 https://aap-testing....58d65d57a2cf	2201	14	05:17:31.513
									 https://static.hotja...tjar-1133512.js	2006	7	05:17:31.513
									 https://aap-testing....c83509e94865	16566	541	05:17:31.513
									 https://aap-web-test...humb_image	2235	14	05:17:31.530
									 https://connect.face...489ad0&ua=	60170	523	05:17:31.530
									 https://aap-web-test...wer_7_blog1	9022	511	05:17:31.543
									 https://aap-web-test...1-06_at_16.0	8867	11	05:17:32.050
									 https://vars.hotjar....ad3a2e45df61b	808	9	05:17:32.053
									 https://cdn.tiny.clo...dvlist/plugin.mi	1034	7	05:17:32.053
									 https://script.hotja...7663fe3054321	71124	169	05:17:32.063
									 https://cdn.tiny.clo...tolink/plugin.mi	1034	2	05:17:32.067
									 https://ssl.google-a...AAAAAAAAA	35	1	05:17:32.077
									 https://cdn.tiny.clo...s/link/plugin.mi	3707	4	05:17:32.077
									 https://aap-testing....54328967dbba	7820	154	05:17:32.077
									 https://cdn.tiny.clo.../lists/plugin.min	10398	142	05:17:32.077
									 https://cdn.tiny.clo.../image/plugin.	6122	132	05:17:32.080
									 https://cdn.tiny.clo...harmap/plugin.	3537	17	05:17:32.213
									 https://cdn.tiny.clo...review/plugin.	1022	38	05:17:32.213

Waterfall Report

Device: AAP- TEST 1

Time Waterfall chart (Continuation)

Load time (sec.)										Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	23.08	46.17	1.9.26	1.32.35	1.55.44	2.18.53	2.41.62	3.4.70					
										 https://cdn.tiny.clo.../print/plugin.mi	465	26	05:17:32.213
										 https://cdn.tiny.clo...ins/hr/plugin.mi	428	2	05:17:32.217
										 https://cdn.tiny.clo...anchor/plugin.	792	17	05:17:32.220
										 https://cdn.tiny.clo...ebreak/plugin.	758	9	05:17:32.220
										https://rs.fullstory.com/rec/page	15	34	05:17:32.230
										 https://cdn.tiny.clo...mplate/plugin.	2195	2	05:17:32.233
										 https://cdn.tiny.clo...eplace/plugin.	3102	5	05:17:32.237
										 https://cdn.tiny.clo...dcount/plugin.	5746	6	05:17:32.240
										 https://cdn.tiny.clo...blocks/plugin.m	773	4	05:17:32.243
										 https://cdn.tiny.clo...s/code/plugin.	546	4	05:17:32.247
										 https://cdn.tiny.clo...lchars/plugin.m	2322	1	05:17:32.247
										 https://cdn.tiny.clo...screen/plugin.	932	2	05:17:32.250
										 https://cdn.tiny.clo...tetime/plugin.m	1156	2	05:17:32.253
										 https://cdn.tiny.clo.../media/plugin.	5985	3	05:17:32.257
										 https://cdn.tiny.clo...eaking/plugin.	559	2	05:17:32.257
										 https://cdn.tiny.clo...s/save/plugin.	653	2	05:17:32.257
										 https://cdn.tiny.clo.../table/plugin.mi	41349	4	05:17:32.257
										 https://cdn.tiny.clo...xtmenu/plugin.	912	2	05:17:32.257
										 https://cdn.tiny.clo.../paste/plugin.m	12866	19	05:17:32.267
										 https://cdn.tiny.clo...ticons/plugin.m	633	16	05:17:32.267
										 https://cdn.tiny.clo...tcolor/plugin.mi	2074	2	05:17:32.267
										 https://cdn.tiny.clo...picker/plugin.m	687	22	05:17:32.270
										 https://cdn.tiny.clo...nality/plugin.mi	857	1	05:17:32.270

Waterfall Report

Device: AAP- TEST 1

Time Waterfall chart (Continuation)

Load time (sec.)	Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00 23.08 46.17 1.9.26 1.32.35 1.55.44 2.18.53 2.41.62 3.4.70				
	 https://cdn.tiny.clo...attern/plugin.mi	2967	4	05:17:32.290
	 https://cdn.tiny.clo...etools/plugin.m	12850	3	05:17:32.290
	https://in.hotjar.co...3512/visit-data	202	188	05:17:32.330
	https://script.hotja...otjar_5.c9fb91.	2188	8	05:17:32.353
	 https://cdn.tiny.clo...ghtgray/skin.mi	10751	2	05:17:32.377
	 https://cdn.tiny.clo...gray/content.mi	1428	8	05:17:32.427
	https://cdn.tiny.clo...y/fonts/tinymce	18824	2	05:17:32.460
	 https://sp.tinymce.c...&fp=none&tv=	43	1	05:17:32.533
	Find TextField, '//l...=TITLE */././IN		48	05:17:37.957
	TextField: Click		55	05:17:38.007
	Find TextField, '//l...=TITLE */././IN		33	05:17:38.067
	TextField: Type text 'testing article'		20	05:17:38.100
	Find TextField, '//l...)=AUTHOR]/././		45	05:17:38.127
	TextField: Click		920	05:17:38.173
	Find TextField, '//l...)=AUTHOR]/././		38	05:17:39.097
	TextField: Type text 'Anjali'		7	05:17:39.137
	Find Div, '//SPAN[no.../DIV/DIV[3]/		34	05:17:39.157
	Div: Click		935	05:17:39.190
	Find Div, '//SPAN[no.../DIV[3]/DIV/		36	05:17:40.130
	Div: Click		997	05:17:40.167
	Find Div, '//SPAN[no.../DIV[3]/DIV/		60	05:17:41.167
	Div: DoubleClick		80	05:17:41.227
	Find Div, '//SPAN[no.../DIV[3]/DIV/		36	05:17:41.310

Waterfall Report

Device: AAP- TEST 1

Time Waterfall chart (Continuation)

Load time (sec.)	Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00 23.08 46.17 1.9.26 1.32.35 1.55.44 2.18.53 2.41.62 3.4.70				
	Div: Click		854	05:17:41.347
	Find SelectList, '//...p_id_input//SE	53		05:17:42.203
	SelectList: Select 'researchers'	48		05:17:42.257
	Find SelectList, '//...p_id_input//SE	73		05:17:42.307
	SelectList: Select 'AAP Bridge'	48		05:17:42.380
	Find SelectList, '//...gory_input//SE	59		05:17:42.433
	SelectList: Select '...ealth and nutrit	43		05:17:42.493
	Find Frame, '//IFRAM...ce_ifrj', '//IF	50		05:17:42.540
	Find Element, '//HTML'	4		05:17:42.593
	Element: Click	43	618	05:17:42.597
	 https://sp.tinymce.c...&fp=none&tv=	43	2	05:17:43.210
	Find SelectList, '//...vate_input//SE	56		05:17:43.223
	SelectList: Select 'Public'	62		05:17:43.280
	Find Button, '//INPU...INPUT[@NA	53		05:17:43.347
	Button: Click	12509	860	05:17:43.403
	 https://aap-testing....s.venturit.org/p	12509	2957	05:17:44.270
	Step 11: AAP Bridge ...ories/267?p	115040	11930	05:17:44.287
		4	6	
	Navigating to 'https...ries/267?para	568948	6312	05:17:44.287
	 https://aap-testing....f3d29a34933b	147803	2544	05:17:47.247
	https://unpkg.com/tippy.js@4	37	9	05:17:47.247
	https://unpkg.com/tippy.js@4.3.5	60	7	05:17:47.257
	 https://unpkg.com/ti...umd/index.all.	7677	8	05:17:47.267

Waterfall Report

Device: AAP- TEST 1

Time Waterfall chart (Continuation)

Load time (sec.)	Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00 23.08 46.17 1.9.26 1.32.35 1.55.44 2.18.53 2.41.62 3.4.70				
	 https://sp.tinymce.c...&fp=none&tv=	43	1	05:17:49.897
	https://aap-testing....s.venturit.org/c		2741	05:17:50.043
	 https://connect.face...ook.net/en_U	1780	2	05:17:50.083
	 https://ssl.google-analytics.com/ga.	17168	3	05:17:50.130
	 https://fullstory.com/s/fs.js	69203	19	05:17:50.130
	 https://static.hotja...tjar-1133512.js	2006	7	05:17:50.180
	 https://cdn.tiny.clo.../modern/theme	50134	4	05:17:50.187
	 https://connect.face...489ad0&ua=	60170	3	05:17:50.197
	 https://script.hotja...7663fe3054321	71124	24	05:17:50.200
	 https://ssl.google-a...AAAAAAAAA	35	1	05:17:50.217
	 https://cdn.tiny.clo...dvlist/plugin.mi	1034	2	05:17:50.233
	 https://cdn.tiny.clo...tolink/plugin.mi	1034	2	05:17:50.233
	 https://cdn.tiny.clo...s/link/plugin.mi	3707	1	05:17:50.233
	 https://cdn.tiny.clo.../lists/plugin.min	10398	2	05:17:50.233
	 https://cdn.tiny.clo.../image/plugin.	6122	1	05:17:50.233
	 https://cdn.tiny.clo...harmap/plugin.	3537	1	05:17:50.237
	 https://cdn.tiny.clo.../print/plugin.mi	465	2	05:17:50.243
	 https://cdn.tiny.clo...review/plugin.	1022	1	05:17:50.243
	 https://cdn.tiny.clo...anchor/plugin.	792	1	05:17:50.243
	 https://cdn.tiny.clo...ins/hr/plugin.mi	428	1	05:17:50.243
	 https://cdn.tiny.clo...ebreak/plugin.	758	1	05:17:50.243
	 https://cdn.tiny.clo...dcount/plugin.	5746	4	05:17:50.250
	 https://cdn.tiny.clo...mplate/plugin.	2195	2	05:17:50.250

Waterfall Report

Device: AAP- TEST 1

Time Waterfall chart (Continuation)

Load time (sec.)										Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	23.08	46.17	1.9.26	1.32.35	1.55.44	2.18.53	2.41.62	3.4.70					
										 https://cdn.tiny.clo...eplace/plugin.	3102	1	05:17:50.250
										 https://cdn.tiny.clo...lchars/plugin.m	2322	4	05:17:50.250
										 https://cdn.tiny.clo...blocks/plugin.m	773	4	05:17:50.250
										 https://cdn.tiny.clo...s/code/plugin.	546	2	05:17:50.257
										 https://cdn.tiny.clo...eaking/plugin.	559	2	05:17:50.257
										 https://cdn.tiny.clo...tetime/plugin.m	1156	2	05:17:50.257
										 https://cdn.tiny.clo.../media/plugin.	5985	1	05:17:50.257
										 https://cdn.tiny.clo...screen/plugin.	932	1	05:17:50.257
										 https://cdn.tiny.clo...s/save/plugin.	653	1	05:17:50.260
										 https://cdn.tiny.clo.../table/plugin.mi	41349	3	05:17:50.267
										 https://cdn.tiny.clo...xtmenu/plugin.	912	1	05:17:50.267
										 https://cdn.tiny.clo...nality/plugin.mi	857	1	05:17:50.267
										 https://cdn.tiny.clo.../paste/plugin.m	12866	2	05:17:50.267
										 https://cdn.tiny.clo...ticons/plugin.m	633	1	05:17:50.267
										 https://cdn.tiny.clo...tcolor/plugin.mi	2074	1	05:17:50.273
										 https://cdn.tiny.clo...attern/plugin.mi	2967	3	05:17:50.273
										 https://cdn.tiny.clo...picker/plugin.m	687	1	05:17:50.273
										 https://cdn.tiny.clo...etools/plugin.m	12850	3	05:17:50.277
										https://rs.fullstory.com/rec/page	15	32	05:17:50.277
										 https://vars.hotjar....ad3a2e45df61b	808	7	05:17:50.287
										 https://cdn.tiny.clo...ghtgray/skin.mi	10751	2	05:17:50.337
										 https://cdn.tiny.clo...gray/content.mi	1428	3	05:17:50.380
										 https://sp.tinymce.c...&fp=none&tv=	43	1	05:17:50.470

Waterfall Report

Device: AAP- TEST 1

Time Waterfall chart (Continuation)

Load time (sec.)	Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00 23.08 46.17 1.9.26 1.32.35 1.55.44 2.18.53 2.41.62 3.4.70				
	https://in.hotjar.co...3512/visit-data	202	189	05:17:50.533
	Find TextField, '//T...ent-form]//TEX		50723	05:17:56.017
	Find TextField, '//T...ent-form]//TEX		50688	05:18:46.753
	Find Button, '//INPU...art-discussio		29	05:19:37.443
	Button: Click		62	05:19:37.473
	Navigating to 'https...ries/267?para	581456	2726	05:19:37.553
	https://aap-testing....s.venturit.org/p	12508	1467	05:19:37.553
	https://aap-testing....f3d29a34933b	147803	411	05:19:39.037
	https://unpkg.com/tippy.js@4	37	58	05:19:39.040
	https://unpkg.com/ti...umd/index.all.	7677	13	05:19:39.097
	https://unpkg.com/tippy.js@4.3.5	60	6	05:19:39.097
	https://sp.tinymce.c...&fp=none&tv=	43	15	05:19:39.523
	https://aap-testing....s.venturit.org/c		46	05:19:39.553
	https://aap-testing....s.venturit.org/c		46	05:19:39.553
	https://connect.face...ook.net/en_U	1780	47	05:19:39.587
	https://ssl.google-analytics.com/ga.	17168	11	05:19:39.597
	https://fullstory.com/s/fs.js	69203	53	05:19:39.597
	https://static.hotja...tjar-1133512.js	2006	71	05:19:39.650
	https://cdn.tiny.clo.../modern/theme	50134	21	05:19:39.657
	https://connect.face...489ad0&ua=	60170	48	05:19:39.663
	https://rs.fullstory.com/rec/page	15	38	05:19:39.697
	https://ssl.google-a...AAAAA	35	1	05:19:39.710
	https://cdn.tiny.clo...dvlist/plugin.mi	1034	3	05:19:39.747

Waterfall Report

Device: AAP- TEST 1

Time Waterfall chart (Continuation)

Load time (sec.)										Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	23.08	46.17	1.9.26	1.32.35	1.55.44	2.18.53	2.41.62	3.4.70					
										 https://cdn.tiny.clo...tolink/plugin.mi	1034	31	05:19:39.760
										 https://cdn.tiny.clo.../lists/plugin.min	10398	12	05:19:39.763
										 https://cdn.tiny.clo...s/link/plugin.mi	3707	42	05:19:39.763
										 https://cdn.tiny.clo...harmap/plugin.	3537	13	05:19:39.763
										 https://cdn.tiny.clo.../print/plugin.mi	465	44	05:19:39.763
										 https://cdn.tiny.clo.../image/plugin.	6122	71	05:19:39.763
										 https://script.hotja...7663fe3054321	71124	111	05:19:39.770
										 https://cdn.tiny.clo...ins/hr/plugin.mi	428	3	05:19:39.780
										 https://cdn.tiny.clo...review/plugin.	1022	18	05:19:39.780
										 https://cdn.tiny.clo...anchor/plugin.	792	4	05:19:39.783
										 https://cdn.tiny.clo...ebreak/plugin.	758	16	05:19:39.790
										 https://cdn.tiny.clo...mplate/plugin.	2195	13	05:19:39.793
										 https://cdn.tiny.clo...eplace/plugin.	3102	3	05:19:39.800
										 https://cdn.tiny.clo...dcount/plugin.	5746	3	05:19:39.803
										 https://cdn.tiny.clo...blocks/plugin.m	773	9	05:19:39.810
										 https://cdn.tiny.clo...lchars/plugin.m	2322	4	05:19:39.810
										 https://cdn.tiny.clo...s/code/plugin.	546	4	05:19:39.810
										 https://cdn.tiny.clo...screen/plugin.	932	5	05:19:39.810
										 https://cdn.tiny.clo...tetime/plugin.m	1156	7	05:19:39.810
										 https://vars.hotjar....ad3a2e45df61b	808	74	05:19:39.820
										 https://cdn.tiny.clo...eaking/plugin.	559	4	05:19:39.823
										 https://cdn.tiny.clo.../media/plugin.	5985	6	05:19:39.823
										 https://cdn.tiny.clo.../table/plugin.mi	41349	6	05:19:39.823

Waterfall Report

Device: AAP- TEST 1

Time Waterfall chart (Continuation)

Load time (sec.)									Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	23.08	46.17	1.9.26	1.32.35	1.55.44	2.18.53	2.41.62	3.4.70				
									 https://cdn.tiny.clo...xtmenu/plugin.	912	12	05:19:39.823
									 https://cdn.tiny.clo...s/save/plugin.	653	8	05:19:39.823
									 https://cdn.tiny.clo...nality/plugin.mi	857	3	05:19:39.830
									 https://cdn.tiny.clo...tcolor/plugin.mi	2074	5	05:19:39.833
									 https://cdn.tiny.clo.../paste/plugin.m	12866	5	05:19:39.833
									 https://cdn.tiny.clo...ticons/plugin.m	633	11	05:19:39.840
									 https://cdn.tiny.clo...etools/plugin.m	12850	33	05:19:39.850
									 https://cdn.tiny.clo...picker/plugin.m	687	33	05:19:39.850
									 https://cdn.tiny.clo...attern/plugin.mi	2967	21	05:19:39.860
									 https://cdn.tiny.clo...ghtgray/skin.mi	10751	5	05:19:39.903
									 https://cdn.tiny.clo...gray/content.mi	1428	11	05:19:39.963
									 https://sp.tinymce.c...&fp=none&tv=	43	3	05:19:40.133
									https://in.hotjar.co...3512/visit-data	202	352	05:19:40.157
									Find Link, '//A[norm...g-sibling::LI[1]		32	05:19:43.503
									Link: Click		40	05:19:43.537
									https://in.hotjar.co...3512/visit-data		15	05:19:43.587
									Step 12: AAP Bridge ...rg/browse/c		1	05:19:43.593

Waterfall Report

Device: AAP- TEST 1

Waterfall by host charts

aap-testing.dokkuapps.venturit.org

Load time (sec.)	Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00 22.58 45.16 1.7.75 1.30.33 1.52.92 2.15.50 2.38.08 3.0.67	 https://aap-testing....kuapps.venturi	10558	1121	05:16:38.927
	 https://aap-testing....f3d29a34933b	147803	62	05:16:40.053
	 https://aap-testing....ef2b69a73d1f3	429614	72	05:16:40.067
	 https://aap-testing....dc23f7d9cd8c	3315	60	05:16:40.173
	 https://aap-testing....585b4cba1fdd	22856	10	05:16:40.237
	 https://aap-testing....58d65d57a2cf	2201	7	05:16:40.250
	https://aap-testing....s.venturit.org/c		56	05:16:40.460
	https://aap-testing....412d7a1c8810	585416	23	05:16:40.473
	https://aap-testing....2e8e0dd9b25d	17472	2	05:16:40.543
	https://aap-testing....b6ce33da13f3f	77160	3	05:16:40.550
	https://aap-testing....4eb6f8fd92a9f	68940	45	05:16:40.550
	https://aap-testing....4572d2d5b229	142148	46	05:16:40.550
	 https://aap-testing....c83509e94865	16566	10	05:16:40.583
	 https://aap-testing....90d0863c05e6	1906	44	05:16:40.587
	 https://aap-testing....221daa7bda65	11792	2	05:16:40.617
	 https://aap-testing....38cab56fc861	22103	37	05:16:40.890
	 https://aap-testing....s.venturit.org/l	7958	149	05:16:44.710
	 https://aap-testing....f3d29a34933b	147803	27	05:16:44.870

Waterfall Report

Device: AAP- TEST 1

aap-testing.dokkuapps.venturit.org (Continuation)

Load time (sec.)	Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00				
22.58				
45.16				
1.7.75				
1.30.33				
1.52.92				
2.15.50				
2.38.08				
3.0.67				
	https://aap-testing....s.venturit.org/c		125	05:16:45.007
	 https://aap-testing....s.venturit.org/l	108	228	05:16:52.033
	 https://aap-testing....kuapps.venturi	14857	1553	05:16:52.263
	 https://aap-testing....f3d29a34933b	147803	65	05:16:53.830
	https://aap-testing....s.venturit.org/c		279	05:16:54.080
	 https://aap-testing....221daa7bda65	11792	421	05:16:54.127
	 https://aap-testing....c83509e94865	16566	186	05:16:54.127
	 https://aap-testing....54328967dbba	7820	13	05:16:54.360
	 https://aap-testing....38cab56fc861	22103	26	05:16:54.370
	 https://aap-testing....t.org/home/ho	16121	1122	05:16:59.643
	 https://aap-testing....3ed938af9459	2204	19	05:17:00.813
	 https://aap-testing....2906b47420ee	2676	9	05:17:00.813
	 https://aap-testing....72721c57a8a9	2395	16	05:17:00.813
	 https://aap-testing....4458384e873d	3236	8	05:17:00.813
	 https://aap-testing....7a725551aba0	39266	13	05:17:00.817
	https://aap-testing....c3ef7d24380bf	143516	33	05:17:00.823
	 https://aap-testing....15ffd78b903d2	38641	11	05:17:00.823
	https://aap-testing....7d4d75266a33	145312	11	05:17:00.830
	 https://aap-testing....venturit.org/br	15022	2500	05:17:05.077
	 https://aap-testing....a2b42cd77bea	95766	2149	05:17:07.617
	 https://aap-testing....d12049745fabf	82447	3109	05:17:07.617
	 https://aap-testing....c3e3f5bea281	94285	2171	05:17:07.617
	 https://aap-testing....6e006968fac5	98463	3139	05:17:07.617

Waterfall Report

Device: AAP- TEST 1

aap-testing.dokkuapps.venturit.org (Continuation)

Load time (sec.)										Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	22.58	45.16	1.7.75	1.30.33	1.52.92	2.15.50	2.38.08	3.0.67					
										 https://aap-testing....it.org/browse/g	11641	3730	05:17:08.123
										 https://aap-testing....rg/browse/cate	11748	3099	05:17:09.170
										 https://aap-testing....it.org/browse/p	12557	3231	05:17:10.197
										 https://aap-testing....org/browse/pla	14479	3285	05:17:11.210
										 https://aap-testing....51924fcc373d	74872	1208	05:17:12.290
										 https://aap-testing....38262d81ec82	119601	1071	05:17:12.290
										 https://aap-testing....f3d29a34933b	147803	721	05:17:14.507
										 https://aap-testing....2906b47420ee	2676	1	05:17:14.560
										 https://aap-testing....4458384e873d	3236	603	05:17:14.627
										 https://aap-testing....be0ec2604d28	54188	18	05:17:15.463
										 https://aap-testing....15ffd78b903d2	38641	56	05:17:15.463
										 https://aap-testing....7a725551aba0	39266	3	05:17:15.480
										https://aap-testing....s.venturit.org/c		30	05:17:15.483
										 https://aap-testing....e03b5e1725f2	46584	2	05:17:15.500
										 https://aap-testing....org/browse/art	14301	2766	05:17:19.660
										 https://aap-testing....org/browse/pa	14967	2281	05:17:20.503
										 https://aap-testing....it.org/browse/g	13505	4232	05:17:21.540
										 https://aap-testing....3ed938af9459	2204	2609	05:17:22.473
										 https://aap-testing....ew?post_type	12450	2911	05:17:24.747
										 https://aap-testing....72721c57a8a9	2395	1859	05:17:25.803
										 https://aap-testing....f3d29a34933b	147803	3184	05:17:27.680
										 https://aap-testing....ef2b69a73d1f3	429614	21	05:17:31.187
										https://aap-testing....s.venturit.org/c		682	05:17:31.370

Waterfall Report

Device: AAP- TEST 1

aap-testing.dokkuapps.venturit.org (Continuation)

Load time (sec.)										Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	22.58	45.16	1.7.75	1.30.33	1.52.92	2.15.50	2.38.08	3.0.67		https://aap-testing....412d7a1c8810	585416	24	05:17:31.377
										 https://aap-testing....dc23f7d9cd8c	3315	601	05:17:31.450
										https://aap-testing....2e8e0dd9b25d	17472	8	05:17:31.453
										https://aap-testing....b6ce33da13f3f	77160	10	05:17:31.453
										https://aap-testing....4eb6f8fd92a9f	68940	26	05:17:31.457
										https://aap-testing....c7ac879f27f82	141260	623	05:17:31.457
										 https://aap-testing....90d0863c05e6	1906	572	05:17:31.480
										 https://aap-testing....221daa7bda65	11792	572	05:17:31.480
										 https://aap-testing....585b4cba1fdd	22856	2	05:17:31.483
										 https://aap-testing....58d65d57a2cf	2201	14	05:17:31.513
										 https://aap-testing....c83509e94865	16566	541	05:17:31.513
										 https://aap-testing....54328967dbba	7820	154	05:17:32.077
										 https://aap-testing....s.venturit.org/p	12509	2957	05:17:44.270
										 https://aap-testing....f3d29a34933b	147803	2544	05:17:47.247
										https://aap-testing....s.venturit.org/c		2741	05:17:50.043
										 https://aap-testing....s.venturit.org/p	12508	1467	05:19:37.553
										 https://aap-testing....f3d29a34933b	147803	411	05:19:39.037
										https://aap-testing....s.venturit.org/c		46	05:19:39.553

Waterfall Report

Device: AAP- TEST 1

unpkg.com

Load time (sec.)										Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	22.38	44.76	1.7.14	1.29.52	1.51.90	2.14.28	2.36.66	2.59.04		https://unpkg.com/tippy.js@4	37	53	05:16:40.067
										https://unpkg.com/tippy.js@4.3.5	60	7	05:16:40.170
										 https://unpkg.com/ti...umd/index.all.	7677	12	05:16:40.183
										https://unpkg.com/tippy.js@4	37	7	05:16:44.873
										https://unpkg.com/tippy.js@4.3.5	60	6	05:16:44.880
										 https://unpkg.com/ti...umd/index.all.	7677	13	05:16:44.890
										https://unpkg.com/tippy.js@4	37	8	05:16:53.830
										https://unpkg.com/tippy.js@4.3.5	60	8	05:16:53.840
										 https://unpkg.com/ti...umd/index.all.	7677	10	05:16:53.850
										https://unpkg.com/tippy.js@4	37	6	05:17:14.510
										https://unpkg.com/tippy.js@4.3.5	60	9	05:17:14.517
										 https://unpkg.com/ti...umd/index.all.	7677	9	05:17:14.530
										https://unpkg.com/tippy.js@4	37	6	05:17:27.680
										https://unpkg.com/tippy.js@4.3.5	60	7	05:17:27.740
										 https://unpkg.com/ti...umd/index.all.	7677	75	05:17:27.753
										https://unpkg.com/tippy.js@4	37	9	05:17:47.247
										https://unpkg.com/tippy.js@4.3.5	60	7	05:17:47.257
										 https://unpkg.com/ti...umd/index.all.	7677	8	05:17:47.267
										https://unpkg.com/tippy.js@4	37	58	05:19:39.040
										 https://unpkg.com/ti...umd/index.all.	7677	13	05:19:39.097
										https://unpkg.com/tippy.js@4.3.5	60	6	05:19:39.097

Waterfall Report

Device: AAP- TEST 1

cloud.tinymce.com

Load time (sec.)										Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	6.35	12.71	19.07	25.43	31.79	38.15	44.51	50.87					
										https://cloud.tinymce...3dlrntnf9a4t		5	05:16:40.067
										https://cloud.tinymce...3dlrntnf9a4t		11	05:17:30.933

Waterfall Report

Device: AAP- TEST 1

code.highcharts.com

Load time (sec.)												Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	6.38	12.77	19.16	25.55	31.93	38.32	44.71	51.10				 https://code.highcha...ts.com/highc	83902	75	05:16:40.067
												 https://code.highcha...ts.com/highc	83902	79	05:17:31.090

Waterfall Report

Device: AAP- TEST 1

cdn.tiny.cloud

Load time (sec.)										Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	22.48	44.97	1.7.46	1.29.94	1.52.43	2.14.92	2.37.40	2.59.89		 https://cdn.tiny.clo...7-67/tinymce. 153822 14 05:16:40.077	153822	14	05:16:40.077
										 https://cdn.tiny.clo...7-67/tinymce. 153822 24 05:17:30.963	153822	24	05:17:30.963
										 https://cdn.tiny.clo.../modern/theme 50134 6 05:17:31.513	50134	6	05:17:31.513
										 https://cdn.tiny.clo...dvlist/plugin.mi 1034 7 05:17:32.053	1034	7	05:17:32.053
										 https://cdn.tiny.clo...tolink/plugin.mi 1034 2 05:17:32.067	1034	2	05:17:32.067
										 https://cdn.tiny.clo...s/link/plugin.mi 3707 4 05:17:32.077	3707	4	05:17:32.077
										 https://cdn.tiny.clo.../lists/plugin.min 10398 142 05:17:32.077	10398	142	05:17:32.077
										 https://cdn.tiny.clo.../image/plugin. 6122 132 05:17:32.080	6122	132	05:17:32.080
										 https://cdn.tiny.clo...harmap/plugin. 3537 17 05:17:32.213	3537	17	05:17:32.213
										 https://cdn.tiny.clo...review/plugin. 1022 38 05:17:32.213	1022	38	05:17:32.213
										 https://cdn.tiny.clo.../print/plugin.mi 465 26 05:17:32.213	465	26	05:17:32.213
										 https://cdn.tiny.clo...ins/hr/plugin.mi 428 2 05:17:32.217	428	2	05:17:32.217
										 https://cdn.tiny.clo...anchor/plugin. 792 17 05:17:32.220	792	17	05:17:32.220
										 https://cdn.tiny.clo...ebreak/plugin. 758 9 05:17:32.220	758	9	05:17:32.220
										 https://cdn.tiny.clo...mplate/plugin. 2195 2 05:17:32.233	2195	2	05:17:32.233
										 https://cdn.tiny.clo...eplace/plugin. 3102 5 05:17:32.237	3102	5	05:17:32.237
										 https://cdn.tiny.clo...dcount/plugin. 5746 6 05:17:32.240	5746	6	05:17:32.240
										 https://cdn.tiny.clo...blocks/plugin.m 773 4 05:17:32.243	773	4	05:17:32.243
										 https://cdn.tiny.clo...s/code/plugin. 546 4 05:17:32.247	546	4	05:17:32.247
										 https://cdn.tiny.clo...lchars/plugin.m 2322 1 05:17:32.247	2322	1	05:17:32.247
										 https://cdn.tiny.clo...screen/plugin. 932 2 05:17:32.250	932	2	05:17:32.250
										 https://cdn.tiny.clo...tetime/plugin.m 1156 2 05:17:32.253	1156	2	05:17:32.253
										 https://cdn.tiny.clo.../media/plugin. 5985 3 05:17:32.257	5985	3	05:17:32.257

Waterfall Report

Device: AAP- TEST 1

cdn.tiny.cloud (Continuation)

Load time (sec.)										Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	22.48	44.97	1.7.46	1.29.94	1.52.43	2.14.92	2.37.40	2.59.89					
										 https://cdn.tiny.clo...eaking/plugin.	559	2	05:17:32.257
										 https://cdn.tiny.clo...s/save/plugin.	653	2	05:17:32.257
										 https://cdn.tiny.clo.../table/plugin.mi	41349	4	05:17:32.257
										 https://cdn.tiny.clo...xtmenu/plugin.	912	2	05:17:32.257
										 https://cdn.tiny.clo.../paste/plugin.m	12866	19	05:17:32.267
										 https://cdn.tiny.clo...ticons/plugin.m	633	16	05:17:32.267
										 https://cdn.tiny.clo...tcolor/plugin.mi	2074	2	05:17:32.267
										 https://cdn.tiny.clo...picker/plugin.m	687	22	05:17:32.270
										 https://cdn.tiny.clo...nality/plugin.mi	857	1	05:17:32.270
										 https://cdn.tiny.clo...attern/plugin.mi	2967	4	05:17:32.290
										 https://cdn.tiny.clo...etools/plugin.m	12850	3	05:17:32.290
										 https://cdn.tiny.clo...ghtgray/skin.mi	10751	2	05:17:32.377
										 https://cdn.tiny.clo...gray/content.mi	1428	8	05:17:32.427
										https://cdn.tiny.clo...y/fonts/tinymce	18824	2	05:17:32.460
										 https://cdn.tiny.clo.../modern/theme	50134	4	05:17:50.187
										 https://cdn.tiny.clo...dvlist/plugin.mi	1034	2	05:17:50.233
										 https://cdn.tiny.clo...tolink/plugin.mi	1034	2	05:17:50.233
										 https://cdn.tiny.clo...s/link/plugin.mi	3707	1	05:17:50.233
										 https://cdn.tiny.clo.../lists/plugin.min	10398	2	05:17:50.233
										 https://cdn.tiny.clo.../image/plugin.	6122	1	05:17:50.233
										 https://cdn.tiny.clo...harmap/plugin.	3537	1	05:17:50.237
										 https://cdn.tiny.clo.../print/plugin.mi	465	2	05:17:50.243
										 https://cdn.tiny.clo...review/plugin.	1022	1	05:17:50.243

Waterfall Report

Device: AAP- TEST 1

cdn.tiny.cloud (Continuation)

Load time (sec.)										Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	22.48	44.97	1.7.46	1.29.94	1.52.43	2.14.92	2.37.40	2.59.89					
										 https://cdn.tiny.clo...anchor/plugin.	792	1	05:17:50.243
										 https://cdn.tiny.clo...ins/hr/plugin.mi	428	1	05:17:50.243
										 https://cdn.tiny.clo...ebreak/plugin.	758	1	05:17:50.243
										 https://cdn.tiny.clo...dcount/plugin.	5746	4	05:17:50.250
										 https://cdn.tiny.clo...mplate/plugin.	2195	2	05:17:50.250
										 https://cdn.tiny.clo...eplace/plugin.	3102	1	05:17:50.250
										 https://cdn.tiny.clo...lchars/plugin.m	2322	4	05:17:50.250
										 https://cdn.tiny.clo...blocks/plugin.m	773	4	05:17:50.250
										 https://cdn.tiny.clo...s/code/plugin.	546	2	05:17:50.257
										 https://cdn.tiny.clo...eaking/plugin.	559	2	05:17:50.257
										 https://cdn.tiny.clo...tetime/plugin.m	1156	2	05:17:50.257
										 https://cdn.tiny.clo.../media/plugin.	5985	1	05:17:50.257
										 https://cdn.tiny.clo...screen/plugin.	932	1	05:17:50.257
										 https://cdn.tiny.clo...s/save/plugin.	653	1	05:17:50.260
										 https://cdn.tiny.clo.../table/plugin.mi	41349	3	05:17:50.267
										 https://cdn.tiny.clo...xtmenu/plugin.	912	1	05:17:50.267
										 https://cdn.tiny.clo...nality/plugin.mi	857	1	05:17:50.267
										 https://cdn.tiny.clo.../paste/plugin.m	12866	2	05:17:50.267
										 https://cdn.tiny.clo...ticons/plugin.m	633	1	05:17:50.267
										 https://cdn.tiny.clo...tcolor/plugin.mi	2074	1	05:17:50.273
										 https://cdn.tiny.clo...attern/plugin.mi	2967	3	05:17:50.273
										 https://cdn.tiny.clo...picker/plugin.m	687	1	05:17:50.273
										 https://cdn.tiny.clo...etools/plugin.m	12850	3	05:17:50.277

Waterfall Report

Device: AAP- TEST 1

cdn.tiny.cloud (Continuation)

Load time (sec.)										Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	22.48	44.97	1.7.46	1.29.94	1.52.43	2.14.92	2.37.40	2.59.89					
										 https://cdn.tiny.clo...ghtgray/skin.mi	10751	2	05:17:50.337
										 https://cdn.tiny.clo...gray/content.mi	1428	3	05:17:50.380
										 https://cdn.tiny.clo.../modern/theme	50134	21	05:19:39.657
										 https://cdn.tiny.clo...dvlist/plugin.mi	1034	3	05:19:39.747
										 https://cdn.tiny.clo...tolink/plugin.mi	1034	31	05:19:39.760
										 https://cdn.tiny.clo.../lists/plugin.min	10398	12	05:19:39.763
										 https://cdn.tiny.clo...s/link/plugin.mi	3707	42	05:19:39.763
										 https://cdn.tiny.clo...harmap/plugin.	3537	13	05:19:39.763
										 https://cdn.tiny.clo.../print/plugin.mi	465	44	05:19:39.763
										 https://cdn.tiny.clo.../image/plugin.	6122	71	05:19:39.763
										 https://cdn.tiny.clo...ins/hr/plugin.mi	428	3	05:19:39.780
										 https://cdn.tiny.clo...review/plugin.	1022	18	05:19:39.780
										 https://cdn.tiny.clo...anchor/plugin.	792	4	05:19:39.783
										 https://cdn.tiny.clo...ebreak/plugin.	758	16	05:19:39.790
										 https://cdn.tiny.clo...mplate/plugin.	2195	13	05:19:39.793
										 https://cdn.tiny.clo...eplace/plugin.	3102	3	05:19:39.800
										 https://cdn.tiny.clo...dcount/plugin.	5746	3	05:19:39.803
										 https://cdn.tiny.clo...blocks/plugin.m	773	9	05:19:39.810
										 https://cdn.tiny.clo...lchars/plugin.m	2322	4	05:19:39.810
										 https://cdn.tiny.clo...s/code/plugin.	546	4	05:19:39.810
										 https://cdn.tiny.clo...screen/plugin.	932	5	05:19:39.810
										 https://cdn.tiny.clo...tetime/plugin.m	1156	7	05:19:39.810
										 https://cdn.tiny.clo...eaking/plugin.	559	4	05:19:39.823

Waterfall Report

Device: AAP- TEST 1

cdn.tiny.cloud (Continuation)

Load time (sec.)										Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	22.48	44.97	1.7.46	1.29.94	1.52.43	2.14.92	2.37.40	2.59.89					
										 https://cdn.tiny.clo.../media/plugin.	5985	6	05:19:39.823
										 https://cdn.tiny.clo.../table/plugin.mi	41349	6	05:19:39.823
										 https://cdn.tiny.clo...xtmenu/plugin.	912	12	05:19:39.823
										 https://cdn.tiny.clo...s/save/plugin.	653	8	05:19:39.823
										 https://cdn.tiny.clo...nality/plugin.mi	857	3	05:19:39.830
										 https://cdn.tiny.clo...tcolor/plugin.mi	2074	5	05:19:39.833
										 https://cdn.tiny.clo.../paste/plugin.m	12866	5	05:19:39.833
										 https://cdn.tiny.clo...ticons/plugin.m	633	11	05:19:39.840
										 https://cdn.tiny.clo...etools/plugin.m	12850	33	05:19:39.850
										 https://cdn.tiny.clo...picker/plugin.m	687	33	05:19:39.850
										 https://cdn.tiny.clo...attern/plugin.mi	2967	21	05:19:39.860
										 https://cdn.tiny.clo...ghtgray/skin.mi	10751	5	05:19:39.903
										 https://cdn.tiny.clo...gray/content.mi	1428	11	05:19:39.963

Waterfall Report

Device: AAP- TEST 1

aap-web-testing.s3.amazonaws.com

Load time (sec.)										Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	6.45	12.91	19.37	25.83	32.29	38.75	45.21	51.67					
										https://aap-web-test...n_feed_3mb_	32703	26	05:16:40.390
										https://aap-web-test...d_Image_fro	9645	7	05:16:40.420
										https://aap-web-test...d_Image_fro	9645	7	05:16:40.430
										https://aap-web-test...d_Image_fro	17585	8	05:16:40.440
										https://aap-web-test...14_at_4.25.1	17639	42	05:16:40.450
										https://aap-web-test...14_at_5.00.4	10469	8	05:16:40.493
										https://aap-web-test...ed_download	6570	19	05:16:40.510
										https://aap-web-test...in_feed_imag	1168	10	05:16:40.530
										https://aap-web-test...ed_download	7756	9	05:16:40.543
										https://aap-web-test..._chicago-179	20345	10	05:16:40.617
										https://aap-web-test...ed_download	6570	320	05:16:40.637
										https://aap-web-test...14_at_5.00.4	10469	348	05:16:40.637
										https://aap-web-test...14_at_4.25.1	17639	291	05:16:40.637
										https://aap-web-test...n_feed_down	4541	320	05:16:40.637
										https://aap-web-test...ed_download	7756	120	05:16:40.833
										https://aap-web-test...in_feed_dow	25338	43	05:16:40.887
										https://aap-web-test...me_downloa	7869	7	05:16:40.933
										https://aap-web-test...me_downloa	4922	8	05:16:40.937
										https://aap-web-test...wer_7_blog1	11731	7	05:16:40.943
										https://aap-web-test...me_downloa	7701	9	05:16:40.947
										https://aap-web-test.../medium_do	50381	28	05:16:40.957
										https://aap-web-test..._AAP_Logo_	52426	29	05:16:40.957
										https://aap-web-test...medium_dow	9011	11	05:16:40.960

Waterfall Report

Device: AAP- TEST 1

aap-web-testing.s3.amazonaws.com (Continuation)

Load time (sec.)										Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	6.45	12.91	19.37	25.83	32.29	38.75	45.21	51.67					
										https://aap-web-test...um_downloa	23947	20	05:16:40.967
										https://aap-web-test...um_downloa	15126	61	05:16:40.967
										https://aap-web-test.../medium_do	50381	20	05:16:40.987
										https://aap-web-test...um_downloa	23947	54	05:16:41.013
										https://aap-web-test...um_downloa	15126	40	05:16:41.013
										https://aap-web-test..._20190105_1	52294	36	05:16:41.050
										https://aap-web-test...um_downloa	13463	14	05:16:41.083
										https://aap-web-test...1-06_at_16.1	25275	67	05:16:41.083
										https://aap-web-test...5/medium_im	11893	7	05:16:41.083
										https://aap-web-test...13_at_9.23.4	76414	16	05:16:41.087
										https://aap-web-test..._AAP_Logo_	48756	25	05:16:53.860
										https://aap-web-test...ed_download	6261	58	05:16:53.890
										https://aap-web-test...mb_downloa	3255	36	05:16:53.960
										https://aap-web-test...mb_downloa	2001	9	05:16:54.073
										https://aap-web-test...mb_downloa	1972	372	05:16:54.123
										https://aap-web-test...13_at_9.23.4	11159	385	05:16:54.123
										https://aap-web-test...humb_image	2235	371	05:16:54.127
										https://aap-web-test...wer_7_blog1	9022	247	05:16:54.127
										https://aap-web-test...1-06_at_16.0	8867	344	05:16:54.153
										https://aap-web-test...n_feed_3mb_	32703	185	05:16:54.313
										https://aap-web-test...d_Image_fro	9645	16	05:16:54.377
										https://aap-web-test...d_Image_fro	9645	8	05:16:54.503
										https://aap-web-test...d_Image_fro	17585	10	05:16:54.503

Waterfall Report

Device: AAP- TEST 1

aap-web-testing.s3.amazonaws.com (Continuation)

Load time (sec.)									Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	6.45	12.91	19.37	25.83	32.29	38.75	45.21	51.67				
									 https://aap-web-test...ed_download	6570	10	05:16:54.503
									 https://aap-web-test...ed_download	7756	6	05:16:54.503
									 https://aap-web-test...in_feed_imag	1168	10	05:16:54.503
									 https://aap-web-test..._chicago-179	20345	11	05:16:54.513
									 https://aap-web-test...ed_download	7756	8	05:16:54.533
									 https://aap-web-test...n_feed_down	4541	15	05:16:54.533
									 https://aap-web-test...ed_download	6570	58	05:16:54.533
									 https://aap-web-test...14_at_5.00.4	10469	8	05:16:54.533
									 https://aap-web-test...in_feed_dow	25338	16	05:16:54.533
									 https://aap-web-test...1-06_at_16.0	33132	10	05:16:54.540
									 https://aap-web-test..._20190105_1	52294	12	05:16:54.550
									 https://aap-web-test...1-06_at_16.1	25275	15	05:16:54.570
									 https://aap-web-test...c-linkedin-ph	23025	31	05:16:54.570
									 https://aap-web-test...091.V2__582	37889	18	05:16:54.570
									https://aap-web-test...umn-455198	243	27	05:16:54.577
									 https://aap-web-test...me_downloa	4922	329	05:16:54.580
									 https://aap-web-test...me_downloa	7869	21	05:16:54.587
									 https://aap-web-test...wer_7_blog1	11731	10	05:16:54.590
									 https://aap-web-test...me_downloa	7701	30	05:16:54.593
									 https://aap-web-test..._AAP_Logo_	52426	12	05:16:54.603
									 https://aap-web-test.../medium_do	50381	132	05:16:54.607
									 https://aap-web-test...medium_dow	9011	10	05:16:54.607
									 https://aap-web-test...um_downloa	23947	62	05:16:54.610

Waterfall Report

Device: AAP- TEST 1

aap-web-testing.s3.amazonaws.com (Continuation)

Load time (sec.)									Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	6.45	12.91	19.37	25.83	32.29	38.75	45.21	51.67				
									 https://aap-web-test...um_downloa	15126	12	05:16:54.620
									 https://aap-web-test.../medium_do	50381	10	05:16:54.620
									 https://aap-web-test...13_at_9.23.4	76414	16	05:16:54.627
									 https://aap-web-test...um_downloa	15126	8	05:16:54.637
									 https://aap-web-test...um_downloa	23947	11	05:16:54.637
									 https://aap-web-test...5/medium_im	11893	9	05:16:54.650
									 https://aap-web-test...um_downloa	13463	10	05:16:54.653
									 https://aap-web-test...d_Image_fro	20987	28	05:17:00.813
									 https://aap-web-test..._20190105_1	29202	8	05:17:00.813
									 https://aap-web-test...in_feed_dow	25338	27	05:17:00.813
									 https://aap-web-test...ed_download	7478	23	05:17:00.813
									 https://aap-web-test...ed_download	3957	31	05:17:07.613
									 https://aap-web-test...ed_download	5222	47	05:17:07.617
									 https://aap-web-test...m_Image_fro	22285	25	05:17:07.617
									 https://aap-web-test...14_at_5.00.4	18330	24	05:17:07.617
									 https://aap-web-test...medium_3mb	70722	31	05:17:07.617
									 https://aap-web-test...um_downloa	13463	56	05:17:07.617
									 https://aap-web-test...um_downloa	13202	10	05:17:07.643
									 https://aap-web-test...in_feed_dow	25338	17	05:17:14.540
									 https://aap-web-test...n_feed_down	4541	14	05:17:14.563
									 https://aap-web-test...ed_download	11532	13	05:17:14.577
									 https://aap-web-test...ed_download	9787	8	05:17:14.593
									https://aap-web-test...in_feed_dow	25338	9	05:17:14.603

Waterfall Report

Device: AAP- TEST 1

aap-web-testing.s3.amazonaws.com (Continuation)

Load time (sec.)									Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	6.45	12.91	19.37	25.83	32.29	38.75	45.21	51.67				
									 https://aap-web-test...13_at_9.23.4	36121	9	05:17:14.613
									 https://aap-web-test...ax_feed_ima	1413	24	05:17:22.477
									 https://aap-web-test...d_Image_fro	9645	23	05:17:22.477
									 https://aap-web-test...ed_download	7478	22	05:17:22.477
									 https://aap-web-test...d_Image_fro	9645	37	05:17:22.477
									 https://aap-web-test...n_feed_3mb_	32703	53	05:17:22.477
									 https://aap-web-test...d_Image_fro	20987	86	05:17:22.477
									 https://aap-web-test..._chicago-179	20345	9	05:17:22.503
									 https://aap-web-test...ed_download	10132	10	05:17:22.503
									 https://aap-web-test...c-linkedin-ph	19118	8	05:17:22.503
									 https://aap-web-test..._20190105_1	29202	7	05:17:22.813
									 https://aap-web-test...ed_download	6570	9	05:17:22.817
									 https://aap-web-test...ed_download	7371	9	05:17:22.817
									 https://aap-web-test...min_feed_im	6289	10	05:17:22.817
									 https://aap-web-test...ed_download	11702	10	05:17:22.817
									 https://aap-web-test...1-06_at_16.1	17777	10	05:17:22.817
									 https://aap-web-test...ed_download	7478	18	05:17:25.803
									 https://aap-web-test...ax_feed_dow	33256	24	05:17:25.803
									 https://aap-web-test...1-06_at_16.1	17348	14	05:17:25.803
									 https://aap-web-test...ed_download	10132	11	05:17:25.803
									 https://aap-web-test...x_feed_down	5030	8	05:17:25.803
									 https://aap-web-test...14_at_5.00.4	12656	24	05:17:25.803
									https://aap-web-test...1-07_at_16.1	18168	11	05:17:25.813

Waterfall Report

Device: AAP- TEST 1

aap-web-testing.s3.amazonaws.com (Continuation)

Load time (sec.)										Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	6.45	12.91	19.37	25.83	32.29	38.75	45.21	51.67					
										https://aap-web-test..._AAP_Logo_	48756	36	05:17:31.510
										https://aap-web-test...ed_download	6261	8	05:17:31.513
										https://aap-web-test...mb_downloa	1972	11	05:17:31.513
										https://aap-web-test...mb_downloa	3255	10	05:17:31.513
										https://aap-web-test...mb_downloa	2001	9	05:17:31.513
										https://aap-web-test...13_at_9.23.4	11159	9	05:17:31.513
										https://aap-web-test...humb_image	2235	14	05:17:31.530
										https://aap-web-test...wer_7_blog1	9022	511	05:17:31.543
										https://aap-web-test...1-06_at_16.0	8867	11	05:17:32.050

Waterfall Report

Device: AAP- TEST 1

connect.facebook.net

Load time (sec.)										Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	22.38	44.76	1.7.15	1.29.53	1.51.92	2.14.30	2.36.68	2.59.07		 https://connect.face...ook.net/en_U	1780	248	05:16:40.637
										 https://connect.face...489ad0&ua=	60170	88	05:16:40.940
										 https://connect.face...ook.net/en_U	1780	1	05:16:45.023
										 https://connect.face...489ad0&ua=	60170	2	05:16:45.103
										 https://connect.face...ook.net/en_U	1780	1	05:16:54.127
										 https://connect.face...489ad0&ua=	60170	4	05:16:54.373
										 https://connect.face...ook.net/en_U	1780	2	05:17:15.413
										 https://connect.face...489ad0&ua=	60170	10	05:17:15.663
										 https://connect.face...ook.net/en_U	1780	1	05:17:31.403
										 https://connect.face...489ad0&ua=	60170	523	05:17:31.530
										 https://connect.face...ook.net/en_U	1780	2	05:17:50.083
										 https://connect.face...489ad0&ua=	60170	3	05:17:50.197
										 https://connect.face...ook.net/en_U	1780	47	05:19:39.587
										 https://connect.face...489ad0&ua=	60170	48	05:19:39.663

Waterfall Report

Device: AAP- TEST 1

sp.tinymce.com

Load time (sec.)										Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	22.43	44.87	1.7.31	1.29.74	1.52.18	2.14.62	2.37.06	2.59.49		 https://sp.tinymce.c...&fp=none&tv= 43	43	251	05:16:40.637
										 https://sp.tinymce.c...&fp=none&tv= 43	43	1	05:16:44.970
										 https://sp.tinymce.c...&fp=none&tv= 43	43	1	05:16:54.127
										 https://sp.tinymce.c...&fp=none&tv= 43	43	106	05:17:15.337
										 https://sp.tinymce.c...&fp=none&tv= 43	43	2	05:17:31.080
										 https://sp.tinymce.c...&fp=none&tv= 43	43	1	05:17:32.533
										 https://sp.tinymce.c...&fp=none&tv= 43	43	2	05:17:43.210
										 https://sp.tinymce.c...&fp=none&tv= 43	43	1	05:17:49.897
										 https://sp.tinymce.c...&fp=none&tv= 43	43	1	05:17:50.470
										 https://sp.tinymce.c...&fp=none&tv= 43	43	15	05:19:39.523
										 https://sp.tinymce.c...&fp=none&tv= 43	43	3	05:19:40.133

Waterfall Report

Device: AAP- TEST 1

ssl.google-analytics.com

Load time (sec.)										Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	22.38	44.76	1.7.14	1.29.53	1.51.91	2.14.29	2.36.68	2.59.06		 https://ssl.google-analytics.com/ga.	17168	291	05:16:40.647
										 https://ssl.google-a...AAAAAAAAA	35	14	05:16:41.083
										 https://ssl.google-analytics.com/ga.	17168	3	05:16:45.067
										 https://ssl.google-a...AAAAAAAAA	35	1	05:16:45.110
										 https://ssl.google-analytics.com/ga.	17168	110	05:16:54.260
										 https://ssl.google-a...AAAAAAAAA	35	2	05:16:54.500
										 https://ssl.google-analytics.com/ga.	17168	4	05:17:15.413
										 https://ssl.google-a...AAAAAAAAA	35	7	05:17:15.667
										 https://ssl.google-analytics.com/ga.	17168	3	05:17:31.427
										 https://ssl.google-a...AAAAAAAAA	35	1	05:17:32.077
										 https://ssl.google-analytics.com/ga.	17168	3	05:17:50.130
										 https://ssl.google-a...AAAAAAAAA	35	1	05:17:50.217
										 https://ssl.google-analytics.com/ga.	17168	11	05:19:39.597
										 https://ssl.google-a...AAAAAAAAA	35	1	05:19:39.710

Waterfall Report

Device: AAP- TEST 1

fullstory.com

Load time (sec.)										Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	22.34	44.69	1.7.03	1.29.38	1.51.72	2.14.07	2.36.41	2.58.76		 https://fullstory.com/s/fs.js	69203	197	05:16:40.890
										 https://fullstory.com/s/fs.js	69203	18	05:16:45.067
										 https://fullstory.com/s/fs.js	69203	147	05:16:54.370
										 https://fullstory.com/s/fs.js	69203	23	05:17:15.413
										 https://fullstory.com/s/fs.js	69203	18	05:17:31.430
										 https://fullstory.com/s/fs.js	69203	19	05:17:50.130
										 https://fullstory.com/s/fs.js	69203	53	05:19:39.597

Waterfall Report

Device: AAP- TEST 1

static.hotjar.com

Load time (sec.)										Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	22.34	44.69	1.7.04	1.29.39	1.51.74	2.14.09	2.36.43	2.58.78					
										https://static.hotja...tjar-1133512.js	2006	148	05:16:40.933
										https://static.hotja...tjar-1133512.js	2006	8	05:16:45.090
										https://static.hotja...tjar-1133512.js	2006	46	05:16:54.313
										https://static.hotja...tjar-1133512.js	2006	59	05:17:15.613
										https://static.hotja...tjar-1133512.js	2006	7	05:17:31.513
										https://static.hotja...tjar-1133512.js	2006	7	05:17:50.180
										https://static.hotja...tjar-1133512.js	2006	71	05:19:39.650

Waterfall Report

Device: AAP- TEST 1

script.hotjar.com

Load time (sec.)										Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	22.34	44.68	1.7.03	1.29.37	1.51.72	2.14.06	2.36.40	2.58.75					
										https://script.hotja...7663fe3054321	71124	93	05:16:41.127
										https://script.hotja...otjar_5.c9fb91.	2188	72	05:16:41.347
										https://script.hotja...7663fe3054321	71124	24	05:16:45.110
										https://script.hotja...7663fe3054321	71124	177	05:16:54.380
										https://script.hotja...otjar_5.c9fb91.	2188	8	05:16:54.980
										https://script.hotja...7663fe3054321	71124	44	05:17:15.673
										https://script.hotja...otjar_5.c9fb91.	2188	33	05:17:15.803
										https://script.hotja...7663fe3054321	71124	169	05:17:32.063
										https://script.hotja...otjar_5.c9fb91.	2188	8	05:17:32.353
										https://script.hotja...7663fe3054321	71124	24	05:17:50.200
										https://script.hotja...7663fe3054321	71124	111	05:19:39.770

Waterfall Report

Device: AAP- TEST 1

rs.fullstory.com

Load time (sec.)										Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	22.32	44.64	1.6.96	1.29.29	1.51.61	2.13.93	2.36.25	2.58.58					
										https://rs.fullstory.com/rec/page	15	35	05:16:41.153
										https://rs.fullstory.com/rec/page	15	32	05:16:45.120
										https://rs.fullstory.com/rec/page	15	32	05:16:54.560
										https://rs.fullstory.com/rec/page	15	40	05:17:15.673
										https://rs.fullstory.com/rec/page	15	34	05:17:32.230
										https://rs.fullstory.com/rec/page	15	32	05:17:50.277
										https://rs.fullstory.com/rec/page	15	38	05:19:39.697

Waterfall Report

Device: AAP- TEST 1

vars.hotjar.com

Load time (sec.)										Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	22.33	44.67	1.7.00	1.29.34	1.51.67	2.14.01	2.36.34	2.58.68		 https://vars.hotjar....ad3a2e45df61b	808	43	05:16:41.210
										 https://vars.hotjar....ad3a2e45df61b	808	7	05:16:45.167
										 https://vars.hotjar....ad3a2e45df61b	808	11	05:16:54.497
										 https://vars.hotjar....ad3a2e45df61b	808	7	05:17:15.737
										 https://vars.hotjar....ad3a2e45df61b	808	9	05:17:32.053
										 https://vars.hotjar....ad3a2e45df61b	808	7	05:17:50.287
										 https://vars.hotjar....ad3a2e45df61b	808	74	05:19:39.820

Waterfall Report

Device: AAP- TEST 1

in.hotjar.com

Load time (sec.)										Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	22.40	44.80	1.7.20	1.29.60	1.52.00	2.14.40	2.36.80	2.59.20					
										https://in.hotjar.co...3512/visit-data		291	05:16:41.307
										https://in.hotjar.co...3512/visit-data	202	187	05:16:41.600
										https://in.hotjar.co...3512/visit-data	202	187	05:16:45.180
										https://in.hotjar.co...3512/visit-data	202	190	05:16:54.927
										https://in.hotjar.co...3512/visit-data	202	191	05:16:59.527
										https://in.hotjar.co...3512/visit-data	202	187	05:17:04.927
										https://in.hotjar.co...3512/visit-data	202	186	05:17:08.130
										https://in.hotjar.co...3512/visit-data	202	192	05:17:09.170
										https://in.hotjar.co...3512/visit-data	202	185	05:17:10.327
										https://in.hotjar.co...3512/visit-data	202	196	05:17:15.770
										https://in.hotjar.co...3512/visit-data	202	192	05:17:19.567
										https://in.hotjar.co...3512/visit-data	202	193	05:17:20.567
										https://in.hotjar.co...3512/visit-data	202	192	05:17:21.567
										https://in.hotjar.co...3512/visit-data	202	188	05:17:32.330
										https://in.hotjar.co...3512/visit-data	202	189	05:17:50.533
										https://in.hotjar.co...3512/visit-data	202	352	05:19:40.157

Waterfall Report

Device: AAP- TEST 1

vc.hotjar.io

Load time (sec.)										Monitoring URL	Size (bytes)	Time (ms)	Time Monitored
0.00	4.44	8.88	13.33	17.77	22.22	26.66	31.11	35.55					
										https://vc.hotjar.io...views/1133512	244	05:16:45.187	
										https://vc.hotjar.io...views/1133512	177	05:17:10.327	
										https://vc.hotjar.io...views/1133512	177	05:17:19.567	
										https://vc.hotjar.io...views/1133512	178	05:17:20.567	

Waterfall Report

Device: AAP- TEST 1

Errors

Error list

Step	Monitoring URL	Error Type	Error Code	Error Description
Step 11: AAP Bridge - https://aap-te		Validation	120	Element not found. TextField '//TEXTAREA [@TYPE="text"]'.
Step 11: AAP Bridge - https://aap-te		Validation	120	Element not found. TextField '//TEXTAREA [@TYPE="text"]'.
Step 3: AAP Bridge - https://aap-tes	https://aap-web-test...umn-4551987__340.	HTTP	403	Forbidden.